## Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



Ans'd MAR 2 1925

# F. & F. Nurseries

6251

Springfield, New Jersey

MAY 23 1931 \*\*
TRADE LIST



Federal Horticultural Roand.

SPRING 1925

Wm. Flemer's Sons, Proprietors

also of

PRINCETON NURSERIES, PRINCETON, N. J.

## **Notice to Customers**

We would say to those unacquainted with us that we have 300 acres devoted to the business; our methods of growing and handling stock are up to date. We solicit correspondence and personal inspection of our stock, confident that it will compare favorably with the best.

**References**—For those who do not know us, we refer to any leading nurseryman in the United States, Dun and Bradstreet's Mercantile Agencies.

**Prices**—This list is intended for nurserymen and dealers only, and supersedes all previous editions. The prices are for the quantities named; 250, 25 and 5 will be furnished at the 1000, 100 and 10 rates respectively. We have tried to make our prices as low as we think well-grown stock should be sold. We expect, however, to sell on the market and meet reliable competition.

**Terms**—We are glad to grant 30 to 60 days time for payment of bills to all responsible parties, but parties we do not know, who have no commercial rating, must send remittance with order, or guarantee signed by some bank or someone of known responsibility to be sure of securing goods selected. If references are sent, we will confer with them and after hearing favorably, if goods selected are still unsold, we will enter them as requested, but we will not enter orders or ship goods until we know the customer is responsible.

We will not hold goods on inquiries.

Trees selected by the customer at the nursery will be charged in accordance with their value.

**Packing**—This is done in boxes and bales, for which a charge is made sufficient to remunerate for the cost of material only. Trees packed in bulk at no extra charge.

**Complaints**—Should there be any reason for complaint, we must be notified on receipt of goods, otherwise we cannot entertain it. We make it a point to give all reasonable claims proper consideration.

**Orders**—Are accepted on condition that they shall be void should any injury befall the stock from frost, or other cause over which we have no control.

Varieties—We reserve the right to select the varieties, but will give the purchaser his choice as far as is consistent with our stock. In ordering please state whether or not substitution will be permitted in case we should be short of any sort wanted.

**Guarantee of Genuineness**—While we exercise the greatest care to have all our trees and plants genuine and reliable, and hold ourselves prepared to replace on proper proof, all trees that prove untrue, we do not give any warrantee, express or implied; and in case of any error on our part, it is mutually agreed between the purchaser and ourselves that we shall not at any time be held responsible for a greater amount than the original price of the stock.

We guarantee all our stock to be in good condition on leaving our hands, but we do not guarantee it to grow under all conditions, nor do we make up any loss whatever due to climate effects, or after gulture on the part of the purchaser, and the risks of transportation are to be borne by the purchaser.

TO OUR CUSTOMERS—On all orders placed with us, stock is sold at the nurseries without freight allowance. The plants become your property upon delivery of them to the Transportation Co., and we cannot be responsible for loss, damage or delay in transit. Your recourse is with the Transportation Co., and not with us. If plants arrive in bad condition, before receipting for them, require the Station Agent to note same on the freight or express receipt, then make your claim on the Transportation Co. If you accept shipments short of what is enumerated on your invoice, or in bad condition without proper notation on freight or express receipt, the loss will be yours. Every assistance in our power will be cheerfully rendered you to trace and recover lost goods and collect damages.

Boxing—Boxing cost is charged on the following basis:

A State Entomologist inspection certificate will accompany each shipment.

## Deciduous Trees

NOTE-The figures in italics, following each variety, indicate in feet the approximate height of that plant when mature. It must be understood, however, that many varieties in their native habitat greatly exceed this height, but soil and climatic conditions modify their growth and character to a variable extent, and allowance for this has been made in the heights given here.

ACER	campestre.	Hedge Maple.	25'-30'	Useful fo	or dry	locations in under-
	grov	vth—has rather	interesting	corky ba	ırk.	Grows slowly.

ER			Hedge Maple.							der-
	i	giov	vth—has rather i	nteresting	COIKY	Each			-	100
	3	to	4 ft			\$ .75	T CI		CI	100
	4	to	5 ft			1.00				
	5		6 ft			2.50				
das			Silver Maple. 60 ves silvery underr		iick gi	rowing	, graceti	ıl sha	de 1	ree.
	8	to				.90	\$7.5	50		
	8	to				1.10	10.0	00		
	10 10	to	11 ft., 1½ in			1.35	12.5	50		
	12	to to	13 ft., 2 in			2.00				
	12	to	13 ft., $2\frac{1}{4}$ in			2.75				
	13 14	to to				3.50 4.50				
	14	to	15 ft., 3 in 15 ft., 3½ in			6.00				
	4	in.				8.50				
das			ramidale. Pyrai					Α	narı	ow
			with vertical br							
	6 8	to to	8 ft 10 ft			1.00	9.0 13.5			
	8	to	10 ft., 11/4 in			2.00	10.0			
	9		10 ft., 1½ in			2.50				
	10 11	to	11 ft., 2 in 12 ft., 2½ in			3.00				
das	ycarpum						Graceful,	droc	pin	g.
	8	to	10 ft., 11/4 in			1.50	.7			
	10 11	to to		·		1.80	200			
	12	to	13 ft., 2 in			4.10				
	12	to	13 ft., 2½ Elder. 60' Wi		ام. الله	£3.50				
neg	gundo.	Box	Elder. 60' Wi	ll grow w	here	other	trees fa	il, es	peci	ally
	<u>ء</u> ج	t0	for dry barren i	places and	»seasn	.75				
	8	to	10 ft., 1½ ip c	3		1.00				
	10	to	11 ft., 1½ in			1.25				
	11 12	to	12 ft., log in			1.50				
	13	to.	10 ft., 1½ in c 11 ft., 1½ in 12 ft., 1½ in 13 ft. 2 in 14 ft., 2¼ in			3.00				
pla	tanoides.		Jorway Maple.	50'-75'	The n	nost po	opular st	reet 1	tree.	re-
			its green leaves				•		,	
	8		10 ft., 1½ in			2.35				
	10 11	to to	11 ft., 1½ in 12 ft., 1¾ in			2.75 3.50				
	12	to	13 ft 2 in			4.25				
	12 13	to to	14 ft., 2½ in			5.00				
-1-			14 ft., 2½ in				10' 60'	D.	h .	la la .
pia	tanoiues	ne b	wedleri. Schwe est large growing	purple le	af tree	apie.	40-00	PI	oba	DIY
	8		10 ft., 11/4 in			3.00				
	10 12	to	11 ft., 1½ in 13 ft., 2 in			3.75 5.00				
	13	to to	14 ft., 2½ in .			7.50				
pen	nsylvanio	cum	(striatum) St white. Thrives	riped Map	le. 2		Green	bark	stri	ped
			3 ft			.50				
	3	to				.75				

F. & F. NURSERIES TRADE LIST	
	r 10 Per 100
ACER pseudoplatanus. Sycamore Maple. 40'-60' For seasho	ore planting.
10 to 11 ft., 1½ in	
12 to 13 ft., 2 in	
12 to 13 ft., 2½ in	
rubrum. Red or Scarlet Maple. 50'-75' Best in moist l thrives in upland. Brilliant red autumn coloring.	locations, also
8 to 10 ft., 1½ in 2.35	
10 to 12 ft., 1½ in	
13 to 14 ft., 2 in	
13 to 14 ft., 2½ in 5.00	
14 to 15 ft., $2\frac{1}{2}$ in	orthern states
Best planted in Spring.	orthern states.
8 to 10 ft	
10 to 12 ft., 1¼ in	
12 to 14 ft., $1\sqrt[3]{4}$ in	
13 to 15 ft., 2 in	
14 to 16 ft., 2½ in	
AESCULUS hippocastanum. Horsechestnut. 40'-60' Rather Most attractive when in flower—June.	slow growth.
10 to 12 ft., 3 in	
12 to 13 ft., $3\frac{1}{2}$ -4 in	
12 to 13 ft., 4–5 in	
parviflora. (Pavia macrostachia). Bottlebush Buckeye.	6'-7' Hande
some spreading shrub covered with panicles of c in July–August.	reamy flowers
18 to 24 in	
AILANTHUS glandulosa. Tree of Heaven. $50'-60'$ Succeed adverse city conditions.	ds under most
4 to 6 ft	
6 to 8 ft	
AMYGDALUS persica (Prunus). Flowering Peach. 8'-10' double flowering form, blooms before leaves. References and the second secon	
2 to 3 ft	
3 to 4 ft	
4 to 5 ft	
ANDROMEDA (See Shrubs)	
ARALIA (See Shrubs)	
BETULA alba. European White Birch. 30'-50' Known by	its white bark.
4 to 5 ft	
alba laciniata. Weeping Cut Leaf. 30'-40' Graceful tree for	lawn planting.
3 to 4 ft	
5 to 6 ft	
6 to 8 ft 2.25	
alba pyramidalis. Pyramidal White Birch. 30'-40' Dense 3 to 4 ft	and columnar.
ous branches. Most graceful.	eading pendul-
3 to 4 ft	
lenta. Sweet Birch. $40'-60'$ Has attractive smooth redd conspicuous catkins in spring.	ish bark and
6 to 8 ft 1.00 8 to 10 ft 1.50	

SPRINGFIELD, NEW JERSEY 5
Each Per 10 Per 100
BETULA lutea. Yellow Birch. 50'-70' Makes fine windbreak.
3 to 4 ft \$ .60 \$5.00
4 to 6 ft
8 to 10 ft
<b>nigra.</b> River Birch. $50'-60'$ Thrives in moist places. Its torn ragged
bark is quite unique.
3 to 4 ft
4 to 5 ft
papyrifera. Paper or Canoe Birch. 40' -50' Picturesque paper bark, very white when older.
4 to 6 ft
8 to 10 ft
<b>populifolia.</b> Gray Birch $30'-40'$ Will grow in poor soil and dry places. Commonly found native in New Jersey.
4 to 6 ft
6 to 8 ft 1.00
CARPINUS caroliniana (americana). American Hornbeam. 30'-40' Closely
resembles the beech in appearance.  2 to 3 ft
3 to 4 ft
4 to 5 ft
betulus. European Hornbeam. 20'-30' Good for massing or a hedge
because of its dense growth. Beech-like foliage.
3 to 4 ft
5 to 6 ft
cordata. Japanese Hornbeam. Leaves roughly heart-shaped.
5 to 6 ft 1.00
6 to 8 ft
CATALPA bungei. Umbrella Catalpa. 10'-15' Useful in formal planting.
Medium Heads $1.25$
First Class Heads
Extra Large Heads
8
speciosa. Western Catalpa. $30'-35'$ 10 to 12 ft., $2\frac{1}{4}$ in
CEDRELA sinensis. Cedrela. 30'-40' Gives a tropical looking effect—
clusters of white flowers. Will thrive under city conditions.
2 to 3 ft
3 to 4 ft
CELTIS occidentalis. Hackberry, $50'-60'$ Similar foliage and habit as Elm.
3 to 4 ft
4 to 5 ft
CEPHALANTHUS (See Shrubs)
CERASUS (See Prunus)
CERCIDIPHYLLUM japonicum. Katsura Tree. 60' 80' Develops into a
magnificent symmetrical tree. Beautiful spring and autumn colors.
3 to 4 ft
5 to 6 ft 1.00
CERCIS. Judas Tree. (See Shrubs)
CLADRASTIS lutea. (tinctoria). Yellow Wood. $30^{\circ}-40^{\circ}$ A striking tree with long panicles of fragrant white flowers in June.
4 to 5 ft
5 to 6 ft

F. & F. NURSERIES TRADE LIST
Each Per 10 Per 10
CORNUS florida. White Flowering Dogwood. 15'-25' Among the be- of the spring flowering small trees.
3 to 4 ft \$ .50
4 to 5 ft
6 to 8 ft
8 to 10 ft 2.00
florida pendula. Weeping Dogwood. 8'-10' 3 to 4 ft
rubra. Red Flowering Dogwood. 15'-20' The pink flowers are more
persistent than the white.
18 to 24 in
2 to 2½ ft
3 to 4 ft
CRATAEGUS carrieri. Carrier Thorn. 12'-15'
3 to 4 ft
coccinea. Thicket Hawthorne. 15'-20' Large scarlet fruits.
2 to 3 ft
4 to 5 ft
cordata. Washington Hawthorn. 12'-15' Berries are small, brilliant re and persists nearly all winter. Brilliant autumn foliage.
2 to 3 ft
crusgalli. Cockspur Thorn. 15' Deep green, shiny leaves make this have thorn distinctive. White flowers are also conspicuous.
2 to 3 ft
5 to 6 ft
mollis. Downy Hawthorn. 12'-15'
2 to 3 ft
<b>oxycantha.</b> English Hawthorn. 12'-15' 18 to 24 in
2 to 3 ft
Paul's scarlet. 12'-15' Double scarlet flowers.
3 to 4 ft
4 to 5 ft
CYTISUS (See Laburnum)
DIOSPYROS virginiana. Persimmon. 15' Handsome foliage.
3 to 4 ft
4 to 5 ft
EUONYMUS (See Shrubs)
FAGUS americana (ferruginea). American Beech. 75'-100' One of ou best native trees. Distinctive silver-gray bark.
2 to 3 ft
3 to 4 ft
4 to 5 ft 1.50
sylvatica asplenifolia. Fern or Cutleaf Beech. $40'-50'$ A splendid compact lawn tree with fern-like foliage.
2 to 3 ft
sylvatica riversi. River Purple Beech. 60'-80' Large deep purple leaves
4 to 5 ft
FRAXINUS americana. White Ash. 70'-80' Fairly rapid grower. Assume
pleasing golden tones in Autum. Good in moist soils.
8 to 10 ft., 1½ in 1.00
10 to 12 ft., 1½ in
12 to 13 ft., 2 in 2.00
12 to 13 ft., 2 in

SPRINGFIELD, NEW JERSEY Each Per 10 Per 100 GINKGO biloba (Salisburia). Maidenhair Tree. 50'--75' Picturesque, interesting, quite distinct. Leaves shaped like maidenhair fern. Immune from insects. 8 ft ..... \$1.00 1.25 1.50 1.75 GLEDITSIA triacanthos. Honey Locust. 60'-70' Thorny tree with fragrant white flowers in May. Good for gravelly soil. 2 to 3 ft ..... .30 \$2.70 3 to 4 ft ..... .40 3.50 4 to 5 ft ..... .50 4.50 5 to 6 ft ..... .75 6.50 GYMNCCLADUS dioica. Kentucky Coffee Tree. 40'-50' Light blue-green foliage of slow growth. Picturesque outline. .50 2 to 3 ft ...... 3 to 4 ft ..... .75 4 to 5 ft..... 1.00 HALESIA (See Shrubs) KOELREUTERIA paniculata. Varnish Tree. 25'-30' Has bright yellow flowers in July. Is a valuable small flowering tree. 3 to 4 ft ..... 4 to 5 ft ..... 5 to 6 ft ..... .70 .85 6 to 7 ft ..... LABURNUM vulgare. Golden Chain. 20'-25' .35 .50 4 to 5 ft..... .75 LARIX europaea. European Larch. 50'-60' Especially good for Spring effects. Grows rapidly. 2½ to 3 ft ..... .50 LIQUIDAMBAR styraciflua. Sweet Gum. 50'-60' One of best trees for autumn color. Grows well in moist places. Has corky bark. Rather difficult to transplant. 3 to 4 ft ...... .75 4 to 5 ft..... 1.35 5 to 1.75 2.00 8 to 10 ft ..... 2.75 LIRIODENDRON tulipifera. Tulip Tree. 60'-80' A quick grower. The yellow tulip-like flowers are produced in June, has peculiar flat topped leaves. .60 4 to 6 ft ..... 5.50 \$50.00 1.00 9.00 1.50 13.50 10 to 12 ft..... 1.75 15.00 12 to 14 ft ..... 2.00 MAGNOLIA glauca. Sweet Bay. 15'-20' Delightfully fragrant creamy flowers in May, leaves nearly evergreen, prefers moist location. 1.00 1.50 tripetala. Umbrella Tree. 30'-40' Very large leaves. Flowers white and seed pods are pink. 5 to 6 ft ...... 1.25 6 to 7 ft...... MALUS arnoldiana. Arnold Crab. 12'-15' 4 to 5 ft ..... .75 

.55 .75 1.00

5.00

6.50 8.50

3 to 4 ft .....

F. & F. NURSERIES TRADE	LIST
	Each Per 10 Per 100
	10'-15' Literally covered
with rose-colored flowers in early spri	
2 to 3 ft	\$ .50 .75    \$6.50
4 to 5 ft	.85 7.50
5 to 6 ft	1.00
floribunda atrosanguinea. Carmine Crab. 10'-	
3 to 4 ft	.75 6.50 .85 7.50
5 to 6 ft	1.00
halliana. Parkman Crab. 10'-15' Semi-double	
2 to 3 ft	.60
3 to 4 ft	.75
4 to 5 ft	1.00
ioensis. Bechtel Crab. 10'-15' Large doub noticeable fragrance. Vigorous grows	le purepink flowers with
	.45
2 to 2½ ft	.55 5.00
2½ to 3 ft	.55 5.00 .65 6.00 .85 8.00
3 to 4 ft	.85 8.00 1.25 11.00
4 to 4½ ft	1.50
sargenti. Sargent Crab. 10'-15' Single white	
5 to 6 ft	1.50
scheideckeri. Scheidecker Crab. 10'-15' Doub	ble pink.
2 to 3 ft	.50
3 to 4 ft	.75 6.50 .85
MORUS alba pendula. Tea's Weeping Mulberry.	
small "weening" tree	
Medium Grade	1.25
	1.75 2.50
ExtraDouble Extra	3.25
PAULOWNIA imperialis. Royal Paulownia. 30'-	40' Grows rapidly, very
large leaves, purple flowers. Not qui	
4 to 5 ft	
6 to 8 ft 8 to 10 ft	1.25 1.75
PLATANUS orientalis. European Plane Tree. 70'	
and street use, grows rather quickly,	withstands city conditions.
8 to 10 ft., $1\frac{1}{4}$ in	1.35
8 to 10 ft., 1¼ in	1.75
11 to 12 ft., 1½ in	3.25
POPULUS alba. White Poplar. 60'-80' Rapid gringe. Useful seashore subject.	
8 to 10 ft	.65
8 to 10 ft., 1½ in	.90
	1.25
balsamea. Balsam Poplar. 60'-70' Broad leav	.75
8 to 10 ft., 1¼ in	1.00
bolleana. Bolle Poplar. $50'-60'$ Leaves white nar character to Lombardy poplar.	
4 to 6 ft	.65
6 to 8 ft	.75
8 to 10 ft., 1 ½ in	1.00 1.25
monolifera. Carolina Poplar. 75'–90' A rapi	
on dry places and near seashore.	- 6.0,
8 to 10 ft	.40 3.50 \$30.00
8 to 10 ft., 1½ in	.45 4.00 35.00
11 to 12 ft., 1½ in 12 to 14 ft., 1¾ in	.65 6.00 1.00 9.00
12 10 1110, 1/4 111	

SPRINGFIELD, NEW JERSEY	_
Each Per 10 Per i00	)
POPULUS nigra italica. Lombardy Poplar. 60'-80' Tall spire-like charac-	
ter is valued for landscape work and screens.	
6 to 8 ft \$ .45 \$4.00	
8 to 10 ft	
8 to 10 ft	
12 to 13 ft., 1½ in 1.00	
12 to 13 ft., 1½ in 1.00 11 to 13 ft., 1¾ in 1.50 13 to 14 ft., 2 in 2.00	
PRUNUS avium plena (Cerasus). Flowering Cherry. 20'-25'	
subhirtella pendula. Weeping Japan Cherry. 12'-15' A most beautifu	1
and graceful tree covered with pink blossoms in early spring.	
Pyramidal Form	
3 to 4 ft	
4 to 5 ft. 2.50 5 to 6 ft. 3.00	
Standard Form	
1 year head	
2 year head	
3 year head 3.50	
pissardi. Purple Leaf Plum. 12'-15' Valued chiefly because of purplish	
foliage. Should be pruned every year for best color effect.	
2 to 3 ft50	
3 to 4 ft	
4 to 5 ft 85	
serotina. Wild Black Cherry. 25'-30' Has lustrous deep green foliage	
4 to 6 ft	
6 to 8 ft	
PTELEA trifoliata. Hop Tree. 10'-12' Has clusters of fruit that look and	d
smell like hops.	
3 to 4 ft	
4 to 6 ft	
6 to 8 ft	
QUERCUS alba. White Oak. 80'-100' The noblest of them all, long lived	,
QUENCUS alba. White Oak. 00-100 The hobiest of them all, long lived	
slow growth.	
slow growth. 4 to 6 ft 1.25	
slow growth.	
slow growth. 4 to 6 ft	
slow growth. 4 to 6 ft	
slow growth. 4 to 6 ft	
slow growth. 4 to 6 ft	
slow growth. 4 to 6 ft	
slow growth. 4 to 6 ft	
slow growth. 4 to 6 ft	
slow growth. 4 to 6 ft	
slow growth. 4 to 6 ft	
slow growth. 4 to 6 ft	√
slow growth. 4 to 6 ft	√
slow growth. 4 to 6 ft	√ S
slow growth. 4 to 6 ft	√ S
slow growth.  4 to 6 ft	√ S
slow growth.  4 to 6 ft	√ S
slow growth.  4 to 6 ft	√ S
slow growth. 4 to 6 ft	√ S
slow growth.  4 to 6 ft	√ S
slow growth. 4 to 6 ft	√ S
slow growth. 4 to 6 ft	√ S
slow growth. 4 to 6 ft	√ S
slow growth.  4 to 6 ft	√ S
Slow growth.   1.25	s t
slow growth.  4 to 6 ft	s t
slow growth. 4 to 6 ft	s t
Slow growth.   1.25	s t
Slow growth.   1.25	s t
Slow growth.   1 to 6 ft	s t
Slow growth.   1 to 6 ft	s t
slow growth. 4 to 6 ft	√ t

10 F. & F. NURSERIES TRADE	LIST
	Each Per 10 Per 100
ROBINA pseudacacia. Locust. 60'-80' Has frag	
6 to 8 ft	\$ .60
SALISBURIA adiantifolia. (See Ginkgo)	
SALIX babylonica. Babylonian Weeping Willow.	50'-60' Particularly ap-
propriate for waterside planting with	
4 to 6 ft	.50 \$4.50 .75 7.00
6 to 8 ft	./3 /.00
4 to 6 ft	.50 4.50
6 to 8 ft	.75 7.00
babylonica aurea. Russian Golden Weepir golden-yellow bark.	
4 to 5 ft	.45
5 to 6 ft	.65 .75
blanda (dolorosa). Wisconsin Weeping Willow	
4 to 6 ft	.40 –50 very hardy.
6 to 8 ft	.60 5.50
caprea. Bush Form. Pussy Willow. $15'-20'$ effects. Will do well on dry as well	
2 to 3 ft	.25 2.20 \$18.00
3 to 4 ft	.30 2.70 22.00
4 to 6 ft	.35 3.00 25.00 .45 4.00 30.00
elegantissima. Thurlow Weeping Willow. 6	60'-70' Vigorous. .35
6 to 8 ft	.50
8 to 10 ft	.60
10 to 12 ft	1.10
12 to 15 ft	1.50
incana (rosmarinifolia). Rosemary Willow. I ture in foliage effects.	
2 to 3 ft	.25 2.00 15.00 .30 2.50 22.00
4 to 5 ft	.35 3.00
pentandra. Laurel Leaf Willow. 20'-30' Sh	ining rich dark green leaves
make this a worthwhile background,	
3 to 4 ft	
4 to 6 ft	.35 3.00
6 to 8 ft	.45 4.00
salamoni. Salamon Weeping Willow. 60'-70' "weeping willows."	
4 to 6 ft	.35 .50
8 to 10 ft	.60
12 ft	1.50
vitellina aurea. Golden Willow. 25'–30' Val being bright golden.	luable for winter effect, bark
3 to 4 ft	.25 2.20 20.00
4 to 5 ft	.30 2.70 25.00
5 to 6 ft	.40 3.50
vitellina britzensis. Bronze Willow. 20'-25' used with the preceding variety.	
2 to 3 ft	.20 .25 2.00
4 to 6 tf	
4 to 6 ft	.35 3.00 .45
6 to 8 ft	
6 to 8 ft	.45 hite flowers in late summer,
6 to 8 ft	.45
6 to 8 ft	.45 hite flowers in late summer,

SPRINGFIELD, NEW JERSEY Each Per 10 Per 100 SORBUS aucuparia. European Mountain Ash. 25'-30' A valuable tree on a small lawn. The scarlet berries are quite striking. pendulus branches. 3 yr. heads 2.25 TILIA americana. American Linden. 75'-90' Grows rather quickly forming an open head. Has fragrant yellow flowers. blown by wind. 1½ in ..... 2.50 3.00 3.75 2½ in ....... 4.50 platyphyllos. European Large Leaf Linden. 60'-75' 9 to 10 ft., 1½ in 2.00
10 to 11 ft., 1¾ in 2.75
11 to 12 ft., 2 in 3.50
11 to 12 ft., 2¼ in 4.50
12 to 13 ft., 2½ in 5.50 7.50 13 to 14 ft., 3 in ..... vulgaris (europaea). European Linden. 60'-70' In late June the fragrant flowers are noticeable. Grows symmetrical and compact. 2.00 3.50 4.50 12 to 13 ft.,  $2\frac{1}{2}$  in ..... 5.50 7.50 9.00 exemplified. Fairly rapid in growth this typical american tree soon assumes regal proportions and commands respect of all who look at it.

ULMUS americana. American Elm. 80'-100' Stateliness and dignity are here

8	to	10 ft., 1½ in	1.75
9	to	11 ft., 1½ in	2.25
		12 ft., 1 <sup>3</sup> / <sub>4</sub> in	2.75
		12 ft., 2 in	
		13 ft., 2½ in	
		14 ft., 2½ in	

## Deciduous Shrubs

The shrubs we offer are of a standard commercial grade, young and thrifty. They are not crowded in rows to make them grow tall, but are given space enough for proper development. This insures a bushy and full plant, which far more than height ought to be, and indeed is, the standard of excellence. Nearly all our shrubs are dug with a tree digger, thus insuring good roots, and are exactly what we represent them to be in all particulars.

100ts, and are exactly what we represent them to be in an particulars.	
Each Per 10 Per 100	)
ACER buergerianum (trifidum). Trident Maple. 12'-15'	
5 to 6 ft	
palmatum (polymorphum). Green Japanese Maple. 12'-15' Develop	c
into a splendid specimen for lawn planting.	3
3 to 4 ft 2.50 \$22.50	
4 to 5 ft	
tatarica ginnala. Tatarian Maple. 10'-12' Graceful and valuable for bright red autumn coloring.	r
2 to 3 ft	
3 to 4 ft60 5.00	
4 to 5 ft	
AMELANCHIER canadensis (botryapium). Juneberry. $10^{\prime}-12^{\prime}$ White flower in early spring before leaves. Fruits are relished by birds.	S
2 to 3 ft	
AMORPHA canescens. Lead Plant. 2'-3' Bluish purple flowers in June.	
18 in	
fruticosa. Indigo Bush. 8'-10' Deep purple flowers June, spreading habit	i.
2 to 3 ft	
3 to 4 ft	)
4 to 5 ft	
AMYGDALUS nana. Flowering Almond. 5'-6' Flowers double, May. Pink and White.	
1½ to 2 ft50 4.50 40.00	
2 to 2½ ft	J
3 to 3½ ft	
ANDROMEDA arborea. (See Oxydendron).	
ARALIA pentaphyllum. Five Leaf Aralia. 7'-8' Graceful arching habit	t.
Splendid for banks, very adaptable.	•
18 to 24 in	
2 to 3 ft	^
3 to 4 ft	J
spinosa. Hercules' Club. 18'-20' Useful for tropical effects and shadows	S.
White flowers, July.	
2 to 3 ft	
3 to 4 ft	
ARONIA melanocarpa (nigra). Black Chokeberry. 8'-10' Delicate white	
flowers in May. Black berries persist until late.	
18 to 24 in	
2 to 3 ft	
3 to 4 ft	
arbutifolia. Red Chokeberry. 6'-8' Valuable because of its red berries	S.
2 to 3 ft	
3 to 4 ft	
AZALEA kaempferi. Torch Azalea. 4'-5' Warm brick-red flowers in May	7.
12 to 15 in., B. & B	
15 to 18 in., B. & B	

SPRINGFIELD, NEW JEROI	- I		13
		Per 10	
AZALEA rosea. Downy Azalea. 4'-5' Good hab flowers, May June.	it, bush	ny. Beau	tiful pink
2 to 2½ ft., B. & B	1.75 2.50		
vaseyi. Pink Shell Azalea. 8'-9' Delicate pink		May.	
15 to 18 in., B, & B	1.00		
18 to 24 in., B. & B	1.50		
viscosa. Swamp Azalea 6'-7' White, very fra.  12 in., B. & B	grant,	June, July.	
12 in., B. & B	1.00	\$9.00 11.00	
18 to 24 in., B. & B			
yodogawa. Yodogawa Azalea. 3'-4' Double May. Quite hardy and of exceptional	pinkis merit.	h-lavender	flowers,
12 to 15 in., B. & B	1.00		
15 to 18 in., B. & B	1.25		
BACCHARIS halimifolia. Groundsel Bush. 9'-10' pods in Sept. Good for seashore plan	Cons ting.	picuous fl	uffy seed
3 to 4 ft	.40		
4 to 5 ft	.45	2' Flower	re vallou
April. Scarlet berries, beautiful autum	n colori	ing, leaves	aromatic.
18 to 24 in	.30 .35		
BERBERIS. Box Barberry. 2'-3' A dwarf comp		m of Japa	mese bar-
berry. Fruits sparingly.			
8 to 10 in	.20 .25	1.80 2.00	\$15.00 18.00
12 to 15 in	.30	2.50	18.00 22.00
18 to 24 in	.40		
2 ft	.50	:11:	
scarlet in autumn. Withstands draugh	ht well	·	inge and
12 to 15 in	.25		
<b>thunbergi.</b> Japanese Barberry. 4'-5' A splendimassing. Brilliant autumn coloring, sc	arlet h		nt or for
12 to 15 in	.18	1.50	10.00
10 10 10 11	.23	2.00 2.50	16.00 22.00
2 to 2½ ft	.35	3.20 4.00	28.00
thunbergi. Sheared Globes.	.50	1.00	
12 in	1.00		
vulgaris. European Barberry. 7'-8' Yellow f	1.25	Mar. E	Zerrit wad
persisting to midwinter. Upright habit		way. r	run rea,
$1\frac{1}{2}$ to 2 ft	.18	1.60	
2 to 3 ft	.22 .25	2.00 2.20	20.00
	.35	3.00	25.00
vulgaris purpurea. Purple European Barberry. purplish foliage.	7'-8'	Has plea	sing soft
18 to 24 in	.20 .25		
BUDDLEIA veitchiana. Butterfly Bush. 5'-6' Very		ve with gr	ay-green
foliage and deep lilac flowers. Likes s			
18 to 24 in	.20	1.70 2.20	15.00 20.00
3 to 4 ft	.30	2.70 3.50	25.00 32.00
J 10 4 11., extra	.40	5.50	32.00

F. & F. NURSERIES	TRADE LIST
	Each Per 10 Per 100
CALLICARPA purpurea. Chinese Beauty especially attractive in Augus	
15 to 18 in	
18 to 24 in	
2½ to 3 ft	
CALYCANTHUS floridus. Common Sv flowers, June-Sept., spicy fra	grance. Thrives in shade or open.
18 to 24 in	
2 to 3 ft	
3 to 4 ft., extra	
CARAGANA arborescens. Siberian Peat	
2 to 3 ft	
3 to 4 ft	
CARYOPTERIS incana (mastacantha). flowers, SeptOct. Splendic	Bluebeard. $2'-3'$ Lavender-blue I for massing. Requires protection.
1 yr	
2 yr	
CEPHALANTHUS occidentalis. Buttor	Bush. $5'-6'$ Round heads of Sept. Good foliage, likes moisture.
18 to 24 in	
2 to 3 ft	
3 to 4 ft	
effective when planted with	
2 to 3 ft	
3 to 4 ft	.50
4 to 5 ftjaponica. Chinese Redbud. 10'-12' than above.	
18 in	
CHIONANTHUS virginica. White Fringe.	15'-18' Fragrant tassel-like white
flowers, May-June. Blue-bl	ack plum-like fruits follow.
1½ to 2 ft 2 to 3 ft	
3 to 4 ft	
CLETHRA alnifolia. Summer Sweet. 4'-8 Sept. Prefers moist, shady	
18 to 24 in	
2 to 2½ ft	
COLUTEA arborescens. Bladder Senna. Useful for dry places.	8'-10' Yellow flowers, June-Aug.
2 to 3 ft	
3 to 4 ft 4 to 5 ft	.30 .40
5 to 6 ft	.65
CORNUS alba (siberica.) Coral Dogwood blue fruits. Quick grower—	
18 to 24 in	
2 to 3 ft	.25 2.20 18.00
4 to 5 ft	
alba spaethi. Yellow Spaeth Dogwood with yellow.	d. $6'-8'$ The leaves are margined
18 to 24 in	
2 to 2½ ft	

Each Per 10 Per 100

		10 Per 100
CORNUS alternifolia. Pagoda Dogwood. tally, making deep shadows.	15'-18' Branches sp Blue-black fruit.	read horizon-
18 to 24 in		
2 to 3 ft		
3 to 4 ft	35 3.	.00
4 to 5 ft		
3 10 0 11		
amomum (sericea.) Silky Dogwood. $\mathcal S$ purple. Prefers moist places.		-young twigs
18 to 24 in	15	
2 to 3 ft		00 \$18.00
3 to 4 ft		50 22.00
4 to 5 ft		20
baileyi. Bailey Dogwood. 8'-10' Upri	ght grower, dark re	d bark, gray-
	.30 2.	50
3 to 4 ft	35 3.	00
elegantissima. Variegated Dogwood. 5		
bark.		
1½ to 2 ft	30 2.	70 50
2 to 3 ft	40 3.	00
4 to 5 ft		00
kousa. Kousa Dogwood. 16''-18' Wh cherry-like scarlet fruits, attract	ite flowers in June. ive to birds.	Conspicuous
2 ft		
3 ft	.50	
paniculata. Gray Dogwood. 10-'12'	Numerous small wh	ite flowers in
May, followed by white fruits		
18 to 24 in		80
2 to 3 ft		20
3 to 4 ft		00
4 to 5 ft		
stolonifera. Red Osier Dogwood. 7'-8 white fruits. Likes moisture.	Spreading habit, d	ark red bark.
2 to 3 ft		00
3 to 4 ft		50
		00
stolonifera lutea. Golden Bark Dogwood fine for winter effects.	l. 6'-7' Has distinc	yellow bark,
18 to 24 in		80
2 to 3 ft		20
3 to 4 ft		00
4 to 5 ft	40	
CORYLUS americana. Hazel-nut. 8'-9' Us in half-shade.	eful for natural plan	tings, delights
2 to 3 ft		
3 to 4 ft		
CRATAEGUS. (See Trees)		
CYDONIA japonica. Flowering Quince. 4'-	5' Scarlet flowers in	April May
15 to 18 in		20
1½ to 2 ft		50
2 to 2½ ft	35 3.	20
2½ ft		
3 ft		
DESMODIUM. (See Lespediza)		

Each Per 10 Per 100 DEUTZIA candidissima. Snowflake Deutzia. 9'-10' Graceful habit, double white, June. 18 to 24 in ..... \$ .20 \$1.80 \$15.00 2 to 3 ft ..... .25 2.20 20.00 2.50 22.00 3 to 4 ft ..... .28 3.00 4 to 5 ft ..... .35 crenata, fl. pl. Double Pink Deutzia. 6'-8' Pink, slightly fragrant, June. .20 18 to 24 in ..... 1.80 15.00 2 to 3 ft ..... .25 2.20 20.00 3 to 4 ft ..... .28 2.50 22.00 .35 3.00 4 to 5 ft ..... Slender Deutzia. 3' Profuse bloomer, pure white, May. Useful gracilis. "facing" shrub. 10 to 12 in..... .22 2.00 16.00 .28 2.50 3.00 .35 2 ft..... .55 5.00 gracilis rosea. Pink Slender Deutzia. 3'-4' .45 4.00 .50 4.50 lemoinei. Lemoine Deutzia. 4'-5' Large white flowers, June, graceful. 15 to 18 in ..... .28 2.50 .32 3.00 3.50 .40 .50 4.50 magnifica. 6'-8'2 to  $2\frac{1}{2}$  ft ..... .30 parvifora. Magnolian Deutzia. 3' Erect habit, white, June 15 to 18 in ..... .20 1.80 18 to 24 in \_\_\_\_\_\_ 2 to 2½ ft \_\_\_\_\_ .25 2.20 .35 3.00 

 scabra.
 Pride of Rochester.
 9'-10'
 Vigorous large flower tinged pink, June.

 18 to 24 in
 .20
 1.80

 2 to 3 ft
 .30
 2.50
 22.00

 .35 3.00 25.00 .45 vilmorinae. Vilmorin Deutzia. 4'-5' 18 to 24 in \_\_\_\_\_ 2 to 2½ ft \_\_\_\_\_ .25 2.00 .30 2.70 DIERVILLA trifida. Dwarf Bush Honeysuckle. 3' Yellow, June-July. A good low shrub for shady places.

12 to 15 in ...... .22 sessilifolia (lutea). Southern Bush Honeysuckle. 4'-5' Yellow, more vigorous than preceding, June-July. 2 to 3 ft ..... .25 2.20 .30 2.50 .35 3.00 ELEAGNUS angustifolia. Russian Olive. 15'-18' Silver-gray leaves and 2.00 2.20 3.00 3.50 2 to 3 ft ..... .40 3 to 4 ft ..... .50 EUONYMUS alatus. Winged Euonymus. 9'-10' Interesting corky bark. Warm crimson autumn coloring, makes fine specimen shrub. 18 to 24 in..... .40 2 to 2½ ft ..... .50 americanus. Brook Euonymus. 7'-8' Pink fruits, prefers moist locations. 18 to 24 in \_\_\_\_\_\_\_ 2 to 3 ft \_\_\_\_\_\_ .25 .30

3 to 4 ft.....

Each Per 10 Per 100

EUONYMUS bungeanus. Winterberry Euonymus.  The orange and white seed pods persist Good autumn coloring.			
2 to 3 ft	.25 .35 .45 ink fruit	\$3.00 4.00 ts on lon	g stalks,
2 to 3 ft 3 to 4 ft	.30 .35 .40		
<b>EXOCHORDA</b> grandiflora. Pearl Bush. $6'-9'$ Dazz Is improved by pruning.	ling whi	ite flowe	rs, May.
18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft	.35 .40 .45 .50		\$28.00
FORSYTHIA intermedia. Border Golden Bell. 6'-8 in April before leaves unfold. Profuse	and bea	nt yellow uutiful.	flowers
2 to 3 ft	.25 .30 .35	2.00 2.50 3.00	22.00
suspensa. Weeping Golden Bell. 4'-6' Graceful for massing or banks.	droopin	g habit,	excellent
2 to 3 ft	.30 .35	2.50 2.70	
suspensa fortunei. Fortune Golden Bell. 7'-8 branches, vigorous growth.	" Good	d habit,	arching
2 to 3 ft	.30	2.50 3.00	20.00
viridissima. Green Stem Forsythia. 7'-8' Mos bark—thick, dark green leaves. Last to	t vigor	ous. Ha	is green
18 to 24 in	.20 .25 .30 .35	1.80 2.20 2.80 3.00	15.00 20.00 25.00
GENISTA tinctoria. Woadwaxen. 3' Yellow pea-si	naped fl	ower. J	une.
	.35		
2 ft	.40		
HALESIA tetraptera. Great Silver Bell. 12'-15' flowers in May profusely borne along grown as single specimen or massed.	Snow-v	vhite be nchlets.	ll-shaped Can be
3 ft	.35 .45 .55	3.00	25.00
3 ft	Snow-v the bra .35 .45 .55	3.00	Can be 25.00 flowers.
3 ft.  HALESIA tetraptera. Great Silver Bell. 12'-15' flowers in May profusely borne along grown as single specimen or massed.  18 to 24 in	Snow-v the bra .35 .45 .55	3.00 bbon-like eds best i	Can be 25.00 flowers.
3 ft	Snow-v the bra  .35 .45 .55 ellow rib Succee .30 .40 .50 0' 12'	3.00 bbon-like eds best i 3.50 4.50	Can be 25.00 flowers, n moist,
3 ft	Snow-v the bra  .35 .45 .55 ellow rib Succee .30 .40 .50 0' 12'	3.00 bbon-like eds best i 3.50 4.50	Can be 25.00 flowers, n moist,
3 ft	Snow-v the bra  .35 .45 .55 ellow rib Succee .30 .40 .50 ? 12' . Doub	3.00 bbon-like ds best i 3.50 4.50 Rather fo	Can be 25.00 flowers, n moist, ormal in
3 ft	Snow-v the bra  .35 .45 .55 ellow rib Succee .30 .40 .50 ? 12' . Doub	3.00  bbon-like das best if 3.50 4.50  Rather for the solution of the solution	Can be 25.00 flowers, n moist, ormal in
3 ft	Snow-verthe bra  .35 .45 .55 ellow rib Succee .30 .40 .50 ? 12' . Double	3.00  bbon-like das best if 3.50 4.50  Rather for the solution of the solution	Can be 25.00 flowers, n moist, ormal in

18 F. & F. NURSERIES TRADE	LIST		
			Per 100
HIBISCUS variegata. Variegated Rose of Sharon.		-	d yellow.
15 to 18 in	\$ .35 .40	\$3.00 3.50	
$\frac{1}{2}$ to $\frac{2}{2}$ ft	.50	4.50	
HYDRANGEA arborescens. Smooth Hydrangea.	4'-5' W		e-July.
18 to 24 in	.30		
2 to 3 ft	.40	3.50	¢70.00
3 to 4 ft	.45	3.80	
grandiflora alba (sterilis.) Hill Hydrangea. white flowers, June-July.	4'-5' L	arge he	ads pure
18 to 24 in	.30	2.70	25.00
2 to 3 ft	.38 .50	3.50 4.50	32.00 42.00
radiata (nivea). Silver Leaf Hydrangea. 4'-5'			
flowers white, June-July.			,
2 to 3 ft	.30 .35	2.50 3.20	
quercifolia. Oak Leaf Hydrangea. 3'-4' Lea Splendid autumn coloring—succeeds i	ves shaped	d like an	oak leaf.
12 to 15 in	.60		
paniculata. Panicle Hydrangea. 8'-9' Large flowers, August.	loose p	oanicles	of white
2 to 3 ft	.35		
3 ft	.50	4.50	
paniculata grandiflora. Peegee. 8'-9' Very sk			
18 to 24 in	.30	2.50	22.00
2 to 1½ ft	.40 .45	3.50 4.00	32.00 35.00
3 ft	.50	4.50	33.00
paniculata grandiflora Standard. Tree Form.			
Medium, 3 to 4 ft	.70	6.50	
First class, 3 to 4 ft	.85	8.00	
Extra, 4 to 5 ft	1.00	9.00	
HYPERICUM aureum. Golden St. Johnswort. 3'-4 green foliage, dense habit.	Yellow	, July-A	ug., blue-
15 to 18 in	.22	2.20	
18 to 24 in	.25 .30	2.20 2.50	
densiflorum. Dense Flowered St. Johnswort.	4'-5' Y		uly-Sept.
Free flowering, good for sandy soil.		,	
18 to 24 in 2 to 2½ ft	.25 .30		
kalmianum. Kalm St. Johnswort. 4'-5' Blue-gr side. Withstands drought, July-Sept.		s glaucou	ıs under-
2 ft	.30		
moserianum. Gold Flower. 2' Large yellow flower. balf-herbaceous splendid mass plant.	owers, Jul	ly-Aug.	Dainty,
2 yr., 12 in		2.20	20.00
2 yr., 15 in	.30 .35	2.80 3.00	25.00 28.00
prolificum. Shrubby St. Johnswort. 2½'-3'	A dense	shrub.	Yellow
flowers profusely borne in July–Sept.  18 to 24 in	.25	и госку	sons.
		rrice par	ricting to
ILEX verticillata (prinos). Winterberry. 6'-8' Brig mid-winter, not eaten by birds. Prefe	rs moist s	nies pers	oistilig to
15 to 18 in	.30	2.70	
1½ to 2 ft	.35 .40	3.00	
2 10 279 II			
2½ to 3 ft	.45		

SPRINGFIELD, NEW JERSEY 19 Each Per 10 Per 100 ITEA virginica. Sweetspire. 3'-4' Spikes of fragrant white flowers-July. Good for low places - Brilliant autumn coloring. 18 to 24 in \$\, 30 \quad \text{\$\ \cdot \text{\$\ 2\}} \text{to } 3 ft \$\, \text{\$\ 35\} \quad \text{\$\ 3.00}\$ \$25.00 28.00 JASMINUM nudiflorum. Winter Jasmine. 3' Yellow, April—May. Needs protection in northern states. .25 2.00 .30 2.50 .35 3.00 KERRIA japonica. Japanese Kerria. 4'-5' Golden yellow, June-Sept. Green branches useful for winter effects. 18 to 24 in ...... .35 japonica fl. plena. Double Japanese Kerria. 4'-5' Desirable double form. 18 to 24 in ..... .35 .50 LESPEDEZA bicolor. Bush Clover. 5'-6' Rose and white flower—July. Slender graceful shrub. 18 to 24 in ... .20 2 to 2½ ft ... .25 2½ to 3 ft ... .30 formosum (Desmodium penduliflorum). Purple Bush Clover. 3'-4' Rosy purple flower conspicuous in Sept. An attractive useful shrub. 2.70 3.20 LIGUSTRUM amurense. Amur Privet. 14'-15' Half-evergreen--very hardy. 18 to 24 in..... .15 1.20 10.00 2 to 3 ft ..... .20 1.80 15.00 3 to 4 ft..... .25 2.00 ciliatum. Bigberry Privet. 5'-6' Spreading habit—rather large black berries. 3 to 4 ft ..... .30 4 to 5 ft ..... ibota. Ibota Privet. 9'-10' Good dense habit, flowers and fruit freely. Decorative black berries-very hardy. 18 to 24 in..... .18 1.20 10.00 .20 1.80 15.00 .25 2.20 20.00 ibota regelianum. True Spreading, Regel Privet. 5'-6' Makes a splendid low dense hedge—also good in shrubbery or evergreen plantings. 1.80 2.20 20.00 2.80 25.00 3.50 30.00 **Lodense.** Dwarf Privet.  $2\frac{1}{2}$  Very compact dwarf form. 1 yr . . . . 25.00 ovalifolium. California Privet 9'-10' Most popular hedge plant. 12 to 18 in..... .60 3.00 .80 4.00 1.00 6.00 1.50 8.00 to 5 ft..... 2.00 10.00 ovalifolium. Globe Form - Sheared. 10 to 12 in. diam ..... .60 .85 

ovalifolium. Pyramidal Form-Sheared.

Medium, 2 ft ...... 1.6 ovalifolium. Standard, Tree Form—Sheared heads.

20 F. & F. NU	RSERIES TRADE LIST
	Each Per 10 Per 100
LIGUSTRUM ovalifolium aureu	m. $8'-9'$ Golden Privet. Grows rather slowly.
	\$ .18
vulgare. European Privet. black berries.	10'-12' Creamy-white flowers, June-July—
	.20 \$1.80 \$15.00
	.25 2.00 18.00
3 to 4 ft	.30 2.50 20.00
4 to 5 ft	.30 2.50 20.00 .35 3.00 25.00
May-June—bluis	h-green leaves.
	oneysuckle. 8'-9' Grows vigorously.
fragrantissima. Winter Ho	nevsuckle. 6'-8' Fragrant white flower. April-
May—half-everg	een.
2 to 3 ft	
maacki. Amur Honeyucki	e. 8'-9' Large white flowers—June—scarlet
berries persisting	
	oneysuckle. 8'-9' Smaller flowers tinged pink
	nan preceding, also holds its leaves longer.
	.35
morrowi. Morrow Honey	suckle, 7'-8' Spreading habit, white-May-
June. Red fruits	, good foliage.
18 to 24 in	
2 to 3 ft	.25 2.20 18.00
3 to 4 ft	
	.40 3.50 32.00
in cold regions.	. 2' Dwarf evergreen shrub—needs protection
1 vr	.50
ruprechtiana. Manchurian	Honeysuckle. 8'-9' Creamy white flowers—
	d sometimes orange.
· ·	.18 1.50
2 to 3 ft	
	.25 2.20
standishi. Standish Honey	suckle. 4'-5' Blush flowers, fragrant—April.
Scarlet fruit, hold	s foliage well.
tatarica. Tatarian Honeys	uckle, (pink, red and white) 9'-10' Flowers
and fruit freely produce	ed. A most adaptable shrub.
18 to 24 in	.20 1.50
2 to 3 ft	.25 2.00 18.00
3 to 4 tt	
vuloctoum Ely Hanavaya	140 5.50 50.00
red fruit.	kle. 6'-7' Flower creamy white—June—dark
2 to 3 ft	
3 to 4 ft	.30 2.80
	.40 3.50
MYRICA cerifera. Southern W	ax Myrtle. $4'-5'$ Does well in poor gravelly
soil. Has decora	tive gray berries.
	.35 3.00
OXYDENDRON arboreum. S	ourwood. 25'-30' Graceful clusters of white
flowers – August	. Good leathery foliage—fine autumn coloring.
3 to 4 ft	

SPRINGFIELD, NEW JER	SEY		21
PAVIA macrostachya (See Aesculus)	Each	Per 10	Per 100
PHILADELPHUS avalanche. Avalanche Mock arching habit.	Orange.	3'-4'	Graceful,
18 to 24 in	.30	\$2.20 2.70	
Bouquet blanc. White Bouquet Mock Ora Blooms freely, May-June.		Low de	nse habit.
18 to 24 in	.30 .35	2.70	
coronarius. Mock Orange. 9'-10' White borne in May-June.	fragrant	flowers	profusely
18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft	.35	1.80 2.00 2.50 3.00	\$15.00 18.00 22.00 28.00
coronarius aureus. Golden Leaf Mock Oran form. Yellow leaves.	nge. 4'-5	" Dwar	f compact
12 to 15 in 15 to 18 in	.35	2.80 3.00	\$25.00
coronarius grandiflora. Large flowering Mod frangrance.	ck Orang	e. 7'-8'	Has no
18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft	.15 .25 .30 .40	1.20 2.00 2.50 3.50	10.00 16.00 20.00
gordoniana (Lewisi.) Gordon Mock Orange. July. Slightly fragrant. Blooms late		Flowers	in June-
2 to 3 ft	-25	2.20 2.50 3.00	
lemoinei. Lemoine Mock Orange. 4'-5' Go sweetly scented.	ood comp	act habit.	Flowers
15 to 18 in	.25		
pubescens. Hoary Mock Orange. 12'-15' L June-July.	arge whit	e scentles	s flowers,
2 to 3 ft	.35 .40		
virginalis. Virginal Mock Orange. 7'-8' Be produced intermittently all summer.	eautiful se	mi-doubl	e flowers
2 to 2½ ft	.30		
zeyheri. Zeyher Mock Orange. 8'-9'  18 to 24 in	.20 .25 .30		
PHOTINIA villosa. RedBerried Photinia. 8' 9' scarlet berries profusely borne in aut color and texture.			
2 to 3 ft	.30 .35	2.50 3.00	
PIERIS mariana. Stagger Bush. 6'-7' Waxy whi	te flowers	, May Ju	ne. Low
habit, slow grower.  15 to 18 in	.35 .40 .50	3.00	

22 F. & F. NURSERIES TRADE	LIST
DODDNIAN (water Cl. 1) C. C.	Each Per 10 Per 100
yellow, June–Sept. Very adaptable an	
15 to 18 in	\$ .25 .30 \$2.70 .35 3.00
PRINOS (See llex)	
PRUNUS maritima. Beach Plum. 9'-10' Small vare purple. Splendid subject for sand	
18 to 24 in	.30
2 to 3 ft	.35 3.00 .40 3.50
4 to 5 ft	.45
pissardi (See Trees)	
tomentosa. Nanking Cherry. 6'-7' Fruits are before leaves appear.	e light red. Flowers white
2 to 3 ft	.30 2.70
3 to 4 ft	.35 3.00
4 to 5 ft	.40 3.50
triloba plena. Double flowering Plum. 7'-8 April-May. Handsome and useful.	B' Double pink flowers,
2 to 3 ft	.55 5.00
3 to 4 ft	.65 6.00
PYRUS arbutifolia (See Aronia)	
floribunda (See Malus—Trees)	
PTELEA. Hop Tree. 15'-18' (See Trees)	
RHAMNUS cathartica. Common Buckthorn. 9' black berries. Valuable background sl	
18 to 24 in.	.20 1.80
2 to 3 ft	.25 2.00
3 to 4 ft	.30 2.50 .40 3.50
frangula. Glossy Buckthorn. 8'-9' Berries red	, changing to black.
18 to 24 in	.15 1.00
2 to 3 ft	.25 2.00 \$16.00 .30 2.50 20.00
4 to 5 ft	.35 3.00 25.00
5 to 6 ft	.45
RHODOTYPOS kerrioides. Jetbead. 4'-5' Fresh flowers, May-June—shining black bea	
18 to 24 in	.30 2.50
2 to 3 ft	.35 3.00
3 to 4 ft	.40 .45
RHUS canadensis (aromatica). Fragrant Sumach.	4'-5' Clusters of small
yellow flowers, April-May. Most att ered with coral-red fruits. Withstands	ractive in June when cov-
	.30 2.70
2 to 3 ft	.35 3.20
3 to 4 ft	.40 3.60 .45
copallina. Shining Sumach. 12'-13' Showy cris	mson fruits, good autumn
coloring. Makes show in poor arid situ	
12 to 18 in	.15 1.20 10.00 .25 2.20
2 to 3 ft	.30 2.50
cotinus. Smoke Tree. 10'-12' Purple fringe.	
18 to 24 in	.50 .75
2 0 2/2 10	

		Each	Per 10	Per100
RHUS glabra.	Smooth Sumach. 10'-12' Crimson autumn coloring. Thrives in poor soil	fruits	in bunch	es—rich
	18 to 24 in	\$ .15	\$1.20	\$10.00
	2 to 3 ft	.20	1.80	15.00
	3 to 4 ft	.30	2.50	20.00
	4 to 5 ft	.35	3.00	
glabra lac	5 to 6 ft		3.50 cately cut	leaves—
-	grows slowly.	.35	3.20	
	2 to 2½ ft	:40	3.60	
javanica (	osbecki). Java Sumach. 8'–10' Has l 2 to 2½ ft	nandsor .30	ne foliage.	
typhina.	Staghorn Sumach. 15'-18' Picturesquettect.		—brilliant	autumn
	2 to 3 ft	.20	1.70	15.00
	3 to 4 ft	.25	2.00	18.00
	4 to 6 ft	.35	3.00	25.00
typhina	laciniata. Cutleaf Staghorn Sumach. I cut giving attractive feathery appearance		Leaves a	re finely
1	8 to 24 in	.25	2.20	20.00
	2 to 3 ft	.30	2.50 3.00	22.00
	4 to 5 ft	.35	3.50	
RIBES odorat	um (aureum). Golden Currant. 7'-8'			flowers
-	in May. Useful for under planting. 8 to 24 in	.25		
u u	2 to 3 ft	.30	2.50	
	3 to 4 ft	.35	3.00	
	4 to 5 ft	.40	3.50	
ROBINA hisp	ida. Rose Acacia. 5'-6' Rosy pink attra Soon develops into a mass.	ctive fl	owers, Ma	y-June.
1	8 to 24 in	.30	2.80	25.00
	2 to 3 ft	.35	3.20	30.00
	3 to 4 ft	.40	3.60	
ROSA blanda	. Meadow Rose. 4'-5' Pink, May. A branches.	Almost	thornless–	-reddish
	$1\frac{1}{2}$ to 2 ft	.25	2.20	
	2 to 2½ ft	.30	2.50	
humilis.	Pasture Rose. 3'-4' Pink, May-June.	2.5		
1	2 yr	.25		
	5 to 18 in			10.00
1	5 to 18 in	.25	1.50 2.20	10.00
	2 to 2½ ft	.30	2.50	22.00
	japonica. Japanese Rose. 9'-10' Wh	ite, Jun		
	flowering and fragrant.  2 to 3 ft	.25	2.20	
	3 to 4 ft	.30		
nitida. B	ristly Rose. 3'-4' Deep pink, June. C	lood fo	or holding	banks
,	and general mass planting—good autum			16.00
	5 to 18 in	.20	1.80 2.20	20.00
	2 to 2½ ft	.30	2.70	25.00
	Carolina). Swamp Rose. 6'-7' Pink, swampy places.			
1	5 to 18 in	.20	1.80	16.00
	8 to 24 in	.25	2.20	10.00
	Sweet Briar. 5'-6' Bright pink flow with aromatic odor.			foliage
- 1	8 to 24 in	.30	2.50	
	2 to 2½ ft	.35	3.00	

	Each	Per 10	Per 100
ROSA rubrifolia (ferruginea). Redleaf Rose. 5'-6'	Has di	stinct pu	rplish-red
leaves and bark—good winter subject.	\$ .25		
rugosa. Red Rugosa Rose. 4'-5' Handsome s	•	rge nink	flowers.
June-Sept. Rich green foliage and lar in shrubbery border or as hedge.	ge red fr	uits—use	ful either
1½ to 2 ft	.25	\$2.00	\$18.00
2 to 3 ft	.30 .35	2.80 3.20	25.00 30.00
rugosa alba. White Rugosa Rose. 4'-5'			
18 to 24 in	.35	3.00	
2 to 3 ft	.40 .50	3.50 4.50	
setigera. Prairie Rose. 5'-6' Deep rose flov	ver, June	⊢July.	Vigorous
grower. 18 to 24 in	.20	1.80	
2 to 3 ft	.25	2.20	20.00
3 to 4 ft	.30	2.50	
spinosissima. Scotch Rose. 3'-4' A dainty grow covered with soft thorns—has attractiv	ver but co ve small	ompact— foliage.	branches
12 to 15 in	.30		
15 to 18 in	.40 .50		
RUBUS odoratus. Flowering Raspberry. 5'-6' Ro		ed fragra	nt flower
produced all summer. Particularly s	good for	coverin	g banks,
especially in shade.  2 to 3 ft	.25	2.20	
3 to 4 ft	.30	2.50	
4 to 5 ft	.35	3.00	25.00
SAMBUCUS canadensis. American Elder. 8'-9'	Licoful fo	e curem	v. plaga
fragrant flower, June-July.	Oseiui ic	n swaiii	by places.
2 to 3 ft	.28	2.50	
3 to 4 ft	.32 .35	2.80 3.00	
canadensis acutiloba. Cut Leaf American Elder.			ntricately
cut.			-
2 to 3 ft	.30 .35	2.70 3.00	
4 to 5 ft	.40	3.50	
canadensis aurea. Golden Elder. 10'-12' Has o	conspicuo	us yellov	v foliage.
18 to 24 in	.25	2.20	20.00
2 to 3 ft 3 to 4 ft	.30 .35	2.70	
4 to 5 ft	.40		
pubens. Scarlet Elder. 7'-8' Flowers in Apri ripen in June—very attractive.	l-May.	Bright 1	ed fruits
2 to 3 ft	.30	2.70	
3 to 4 ft	.35 .40	3.20 3.60	
racemosa. European Red Elder. 7'-8' Bright			
2 to 3 ft	.30	2.70	
3 to 4 ft	.35	3.20 3.60	
SORBARIA aitchisoni. Kashmir False Spirea. 4			ompound
foliage—flowers creamy white, July-S		aceidi, C	mpound
18 to 24 in	.28	2.50	
2 to 3 ft 3 to 4 ft	.35 .40	3.20 3.50	
4 to 5 ft	.50	4.50	

SORBARIA	sorbifolia. Ural False Spirea. 4'-5' flowers. June-Aug.	Fluffy	heads of wh	ite
	2 to 3 ft	.30 .35		
SPIREA argu	uta. Garland Spirea. 5'-6' Small light flowering, May. Similar to but more vi			
	10 . 10 !-	.20	man i number	gı.
	12 to 18 in	.25		
1.111. 11				
billardi.	Billiard Spirea. 5'-6' Bright pink fluffy Valuable for dry places.	nower s	spikes, July-O	ct.
	18 to 24 in	.20		
	2 to 3 ft	.25	2.20 20.0	
	3 to 4 ft	.30	2.70 25.0	
	4 to 5 ft	.40	3.50 30.0	00
bumalda	<ul> <li>Bumalda Spirea. 3' Light pink flow dwarf "facing" shrub.</li> </ul>	ver, July	-Sept. A go	od
	18 to 24 in	.35 .40	3.00	
bumalda	Anthony Waterer. Waterer Spirea. 3' preceding—very free flowering all summ		rose pink th	an
	12 to 15 in	.25	2.00 18.	
		.28	2.50 22.0	
	1½ to 2 ft	.30 .40	2.70 25.1 3.50 32.1	
	2 to 2½ ft	.50	4.50 40.	
1 11.				
bumaida	froebeli. Froebel Spirea. 4' Smaller be preceding.		e vigorous in	an
	18 to 24 in	.25		
fortunei	(callosa rosea). Fortune Spirea. 3' Pin orous form of following variety.		ering—more v	ig-
	2 to 2½ ft	.25		
japonica	2 to 2½ ft		Purplish-gre	en
japonica	(callosa). Japanese Spirea. 3' White, Junfoliage when young.	ne-July.		en
japonica	(callosa). Japanese Spirea. 3' White, Junfoliage when young.  12 to 15 in	ne-July.	2.20	en!
japonica	(callosa). Japanese Spirea. 3' White, Junfoliage when young.  12 to 15 in	ne-July.		en
	(callosa). Japanese Spirea. 3' White, Junfoliage when young.  12 to 15 in	.25 .30 .35	2.20	
	(callosa). Japanese Spirea. 3' White, Jurifoliage when young.  12 to 15 in	.25 .30 .35	2.20 2.70 hite, June—go	
	(callosa). Japanese Spirea. 3' White, Jurifoliage when young.  12 to 15 in	.25 .30 .35	2.20 2.70	
nipponic	(callosa). Japanese Spirea. 3' White, Jurifoliage when young.  12 to 15 in	.25 .30 .35 -9' W	2.20 2.70 hite, June—go 2.50 3.00	od
nipponic	(callosa). Japanese Spirea. 3' White, Jun foliage when young.  12 to 15 in	.25 .30 .35 -9' W	2.20 2.70 hite, June—go 2.50 3.00	od
nipponic	(callosa). Japanese Spirea. 3' White, Jurifoliage when young.  12 to 15 in	.25 .30 .35 -9' W .30 .35	2.20 2.70 hite, June—go 2.50 3.00 s, good for shad 1.50	od de.
nipponic	(callosa). Japanese Spirea. 3' White, Junfoliage when young.  12 to 15 in	.25 .30 .35 .9' W .30 .35 .7igorous .18 .20	2.20 2.70 hite, June—go 2.50 3.00 6, good for shar 1.50 1.80 2.50 2.50	ood de.
nipponic opulifolia	(callosa). Japanese Spirea. 3' White, Junfoliage when young.  12 to 15 in	.25 .30 .35 -9' W .30 .35	2.20 2.70 hite, June—go 2.50 3.00 s, good for shad 1.50	ood de.
nipponic opulifolia	(callosa). Japanese Spirea. 3' White, Junfoliage when young.  12 to 15 in	.25 .30 .35 .9' W .30 .35 .7igorous .18 .20	2.20 2.70 hite, June—go 2.50 3.00 6, good for shar 1.50 1.80 2.50 2.50	ood de.
nipponic opulifolia	(callosa). Japanese Spirea. 3' White, Junfoliage when young.  12 to 15 in	.25 .30 .35 9' W .30 .35 .7' W .30 .35 .18 .20 .28 .30	2.20 2.70 hite, June—go 2.50 3.00 s, good for shar 1.50 1.80 2.50 2.50 2.50	od de. 00
nipponic opulifolia	(callosa). Japanese Spirea. 3' White, Jurifoliage when young.  12 to 15 in	.25 .30 .35 .9' W .30 .35 .7igorous .18 .20 .28 .30	2.20 2.70 hite, June—go 2.50 3.00 s, good for share 1.50 1.80 2.50 22. 2.80 25.	od de.
nipponic opulifolia opulifolia	(callosa). Japanese Spirea. 3' White, Jurifoliage when young.  12 to 15 in	.25 .30 .35 .9' W .30 .35 .7igorous .18 .20 .28 .30	2.20 2.70 hite, June—go 2.50 3.00 s, good for shad 1.50 2.50 22. 2.80 25.	od de. 00 00 00 00 00
nipponic opulifolia opulifolia	(callosa). Japanese Spirea. 3' White, Junfoliage when young.  12 to 15 in	.25 .30 .35 .9' W .30 .35 .7igorous .18 .20 .28 .30	2.20 2.70 hite, June—go 2.50 3.00 5, good for shad 1.50 1.80 2.50 22. 2.80 25. 1.80 2.70 25. 3.20 30.	od de. 00 00 00 00 00
nipponic opulifolia opulifolia	(callosa). Japanese Spirea. 3' White, Jurifoliage when young.  12 to 15 in	.25 .30 .35 .9' W .30 .35 .7igorous .18 .20 .28 .30	2.20 2.70 hite, June—go 2.50 3.00 5, good for shad 1.50 1.80 2.50 22. 2.80 25. 1.80 2.70 25. 3.20 30.	od de. 00 00 00 00 00
nipponic opulifolia opulifolia	(callosa). Japanese Spirea. 3' White, Jurfoliage when young.  12 to 15 in	.25 .30 .35 .9' W .30 .35 .7igorous .18 .20 .28 .30 .35 .29 .30 .35	2.20 2.70 hite, June—go 2.50 3.00 s, good for shad 1.50 1.80 2.50 22. 2.80 25. 1.80 2.70 25. 3.20 30. ering—handsortumn.	od de. 00 00 00 me
nipponic opulifolia opulifolia	(callosa). Japanese Spirea. 3' White, Junfoliage when young.  12 to 15 in	.25 .30 .35 .35 .35 .35 .35 .36 .35 .30 .35 .20 .30 .35 .20 .30 .35 .20 .30 .35	2.20 2.70 hite, June—go 2.50 3.00 6, good for shad 1.50 1.80 2.50 22. 2.80 25. 1.80 2.70 25. 3.20 30. rring—handsor	ood de. 00 00 00 me
nipponic opulifolia opulifolia	(callosa). Japanese Spirea. 3' White, Jurfoliage when young.  12 to 15 in	.25 .30 .35 .9' W .30 .35 .7igorous .18 .20 .28 .30 .35 .20 .30 .35 .20 .30 .35	2.20 2.70 hite, June—go 2.50 3.00 5, good for share 1.50 1.80 2.50 22. 2.80 25. 1.80 2.70 25. 3.20 30. ring—handsor rumn. 2.70 3.20 30. 3.70 35.	ood de. 00 00 00 me
nipponic opulifolia opulifoli prunifoli	(callosa). Japanese Spirea. 3' White, Junfoliage when young.  12 to 15 in	.25 .30 .35 .79 W .30 .35 .7igorous .18 .20 .28 .30 .35 .20 .30 .35 .20 .30 .35 .20 .30 .35	2.20 2.70 hite, June—go 2.50 3.00 5, good for share 1.50 1.80 2.50 22. 2.80 25. 1.80 2.70 25. 3.20 30. ring—handsor rumn. 2.70 3.20 30. 3.70 35. 4.20 40.	od de. 00 00 00 me
nipponic opulifolia opulifolia	(callosa). Japanese Spirea. 3' White, Jurifoliage when young.  12 to 15 in	.25 .30 .35 .9' W .30 .35 .7igorous .18 .20 .28 .30 .35 .20 .35 .30 .35 .30 .35 .40 .45	2.20 2.70 hite, June—go 2.50 3.00 5, good for shad 1.50 1.80 2.50 22. 2.80 25. 1.80 2.70 25. 3.20 30. cring—handsor tumn. 2.70 3.20 30. 3.70 30. 3.70 30. 4.20 40.	od de. 00 00 00 me
nipponic opulifolia opulifoli prunifoli	(callosa). Japanese Spirea. 3' White, Jurfoliage when young.  12 to 15 in	.25 .30 .35 .79 W .30 .35 .75 .29 .30 .35 .35 .20 .30 .35 .35 .20 .30 .35 .35 .20 .30 .35 .40 .45 .45 .45 .45 .45	2.20 2.70  hite, June—go 2.50 3.00 8, good for shad 1.50 1.80 2.50 2.80 25.  1.80 2.70 3.20 3.00 3.70 3.20 3.70 3.20 3.00 3.70 3.20 4.20 40. Graceful ard	od de. 00 00 00 me
nipponic opulifolia opulifoli prunifoli	(callosa). Japanese Spirea. 3' White, Jurifoliage when young.  12 to 15 in	.25 .30 .35 .9' W .30 .35 .7igorous .18 .20 .28 .30 .35 .20 .35 .30 .35 .30 .35 .40 .45	2.20 2.70 hite, June—go 2.50 3.00 5, good for shad 1.50 1.80 2.50 22. 2.80 25. 1.80 2.70 25. 3.20 30. cring—handsor tumn. 2.70 3.20 30. 3.70 30. 3.70 30. 4.20 40.	od de. 00 00 00 me

	Food	Dor. 10	Per 100
SPIREA thunbergi. Thunberg Spirea. 4'-5' Slend with pure-white flowers, April-Ma	er arching	branch	es clothed
green leaves. Valuable for seaside pla	-	¢0.00	
12 to 18 in	\$ .25	\$2.20 2.70	\$25.00
18 to 24 in	35	3.20	\$25.00 30.00
$2\frac{1}{2}$ to $3$ ft	.40	3.50	30.00
3 to 3½ ft	.50	4.50	
tomentosa. Härdhack. 3'-4' Woolly rose-pink brownish underside—good in masses	flowers,		ot., leaves
15 to 18 in	.18	1.60	
18 to 24 in	.20	1.80	
2 to 3 ft	.25	2.20	
3 to 4 ft	.30		
van houttei. Van Houtte Spirea. 8'-9' Wi habit—extremely free flowering and v	ery adapi	able.	Graceful
18 to 24 in	.20	1.80	15.00
2 to 2½ ft	.25	2.20	20.00
2½ to 3 ft	.28 .30	2.50 2.80	22.00 25.00
4 to 5 ft	.35	3.20	30.00
		ous arch	ing nabit.
2 to 3 ft	.25		
	.30		
wilsoni. Wilson Spirea. 8'-9'	0.5		
18 to 24 in	.25		
2 to 3 ft	.30 .40		
4 to 5 ft	.45		
STAPHYLEA colchica. Colchis Bladder Nut. 10'		ruara vub	ita Mari
June Fragrant-decorative seed node	2	WEIS WII	ite, iviay-
2 to 3 ft	.50		
3 to 4 ft	.60		
4 to 5 ft	.75		
STEPHANANDRA flexuosa. Cutleaf Stephanandra habit—handsome foliage.			
18 to 24 in		2.50	22.00
2 to 3 ft	.32 .35	2.80 3.20	
STYRAX japonica. Japanese Storax. 12'-15' W			1
flowers, June–July. Makes a handson	ne specin	i-snapeu	pendant
18 to 24 in	.30	2.70	25.00
2 to 3 ft		3.20	_0.00
3 to 4 ft	.45	4.00	
4 to 5 ft	.60		
SYMPHORICARPOS racemosus. Snowberry. 5			
berries, attractive foliage-most adapta	ible but 1	oest in h	alf shady
moist locations.	0.5	2.00	10.00
18 to 24 in	.25	2.00	18.00 22.00
2 to 3 ft	.30 .35	3.00	28.00
4 ft	.40	3.50	20.00
vulgaris. Coralberry. 4'-5' More compact the			Coral rad
berries persisting throughout winter—			Sorar rea
. 18 to 24 in	.20	1.70	15.00
2 to 3 ft	.25	2.00	
2 to 4 ft	.30	2.50	22.00
4 ft	.35	3.00	l
SYRINGA chinensis (rothomagensis). Chinese Lilac. graceful habit. Violet flowers in Ma			branches,
18 to 24 in	.30	2.70	
2 to 3 ft	.40	3.50	
3 to 4 ft	.45		
chinensis saugeana. Purple Chinese Lilac. 8'-	9' Deen	purple f	owers.
18 to 24 in	9' Deep .30	purple fl 2.70	owers.
			owers.

	Each	Per 10	Per 100
SYRINGA japonica. Japanese Tree Lilac. 18'-20' white flowers, June-July. Handsome shaped specimen.	Loose	bunches	creamy
	\$ .35		
2 to 3 ft	.40	\$3.50 4.00	
4 to 5 ft	.60	1.00	
<b>josikaea.</b> Hungarian Lilac. 9'-10' Violet flow dark green foliage.	vers, June	. Good	shining
18 to 24 in	.30	2.50	
2 to 3 ft	.40	3.50	
3 to 4 ft	.50	4.50	
pekinensis. Peking Lilac. 12'-15' Creamy when some foliage until late autumn.		ers, June.	Hand-
1 yr	.35		
persica. Persian Lilac. 9'-10' Blooms freely-			
18 to 24 in	.30	2.80 3.20	
3 to 4 ft	.45	4.20	
persica alba. White Persian Lilac. (sold)	***	20	
villosa. Late Lilac. 7'-8' Pale pinkish-lilac, June	. Fragr	ant—bus	hy com-
pact habit.			ily com
18 to 24 in	.30	2.80	\$25.00
2 to 3 ft	.40	3.80	35.00
3 to 4 ft	.50	4.50	
vulgaris. Common Purple Lilac. 12'-15' Bloom		-	
18 to 24 in	.25	2.20	
2 to 3 ft	.30	2.50 3.00	
4 to 5 ft	.40	3.00	
vulgaris alba. Common White Lilac. 12'-15'			
18 to 24 in	.30	2.80	25.00
2 to 3 ft	.40	3.50	30.00
3 to 4 ft	.45	4.00	
Alphonse Lavalle. Double light purple. (own re	oots)		
18 to 24 in	.35	3.00	
2 to 2½ ft	.45		
Charles the Tenth. Reddish purple, single. (ow			
18 to 24 in	.35	3.00	
2 to 2½ ft	.45	3.00	
2½ ft	.50		
Michel Buchner. Double lilac. (own roots)			
18 to 24 in	.35	3.00	
2 to 2½ ft	.45		
2½ ft	.50		
	.60		
Marie LeGraye. Single white. (own roots)	7.5	7.00	
18 to 24 in	.35	3.00	
3 ft	.60		
Mme. Lemoine. Double white. (own roots)			
18 to 24 in	.35	3.00	
2 to 2½ ft	.45	4.00	
3 ft	.60		
Mme. Casimir Perrier. Double white. (own room			
18 to 24 in	.35	3.00	
2 to 2½ ft	.45		
	.60		
President Grevy. Double blue. (own roots)			
18 to 24 in	.35		
2 to 2½ ft	.45		
J 16	.00		

Each Per 10 Per 100 SYRINGA Rubra DeMarly. Single, light blue. (own roots) 18 to 24 in \_\_\_\_\_\_ 2 to 2½ ft \_\_\_\_\_\_ .40 3 ft..... .60 Ludwig Spaeth. Single, reddish purple. (own roots) 18 to 24 ft..... 2 to 2½ ft ..... .45 .60 Wm. Robinson. Double, violet pink. (own roots) .35 .45 TAMARIX africana. African Tamarix. 12'-14' Pink, April May. Has feathery gray-green foliage. Very effective near water-thrives at seashore. \$1.80 \$16.00 18 to 24 in ..... .20 2 to 3 ft ...... .25 2.00 18.00 2.50 3 to 4 ft ..... .30 5 ft ..... .35 3.00 5 to 6 ft ..... .40 3.60 gallica. French Tamarix. 8'-9' Light pink, May-July-blue-green foliage. .25 18 to 24 in .... 2.00 18.00 .30 2 to 3 ft..... 2.50 20.00 3 .35 3.00 to 4 to 3.50 .40 5 to 6 ft ..... 4.20 .45 pentandra (aestivalis). Five Stamen Tamarix. 10'-12' Deep rose, flowers late. .30 2 to 3 ft .... 3 to 4 ft ..... VACCINIUM corymbosum. Highbush Blueberry. 5'-6' (sold) VIBURNUM acerifolum, Maple Leaved Viburnum. 4'-5' White, May-June. Black fruits, maple-like leaves turning purple in autumn-good for dry shady places. 18 in ..... .35 2 ft ...... americanum (oxycoccus). American Cranberry Bush. 8'-9' Bright scarlet berries in large bunches persisting all winter. 18' to 24 in..... 2 to 3 ft ..... carlesi. Fragrant Viburnum. 4'-5' (sold)
cassinoides. Witherod. 5'-6' White, June–July. Berries pink changing
to dark blue. Rich autumn coloring—splendid for massing and near water 18 to 24 in..... .30 2.80 .35 3.20 .40  $\begin{array}{lll} \mbox{dentatum} & \mbox{Arrow Wood.} & 10'-12' & \mbox{White, May-June.} & \mbox{Berries blue-black,} \\ & \mbox{autumn coloring purple and red--thrives in wet soil.} \end{array}$ .25 18 to 24 in..... 2.20 .30 2.70 .35 3.20 dilatatum. Linden Viburnum. 8'-9' White, May-June. Scarlet showy berries persisting. Handsome and valuable. 3.00 2 to 3 ft..... .40 3.50 .50 4.50 lantana. Wayfaring Tree. 15'-18' White, May-June. Handsome dark green wrinkled leaves. Berries red, changing to black. 3.00 .40 2 to 3 ft ...... 3.50 3 to 4 ft ..... .45 4 to 5 ft.....

SPRINGFIELD, NEW JERSEY	29
Each Per 10	Per 100
VIBURNUM lantana rugosum. Wrinkle Leaf Wayfaring Tree. 15'-1 larger and more wrinkled leaves.	
2 to 3 ft	
3 to 4 ft	
4 to 5 ft	
lentago. Nannyberry. 18'-20' White, May-June. Handsome leaves. Blue-black fruits. Splendid shrub for massing.	shining
18 to 24 in	£70.00
2 to 3 ft	\$30.00 35.00
4 to 5 ft	33.00
molle. Kentucky Viburnum. 10'-12' Larger, darker green lea otherwise similar to "dentatum."	ves, but
18 to 24 in	
2 to 3 ft	27.00
3 to 4 ft	32.00
4 to 5 ft	
nudum. Smooth Witherod. 7'-8' Thick leathery shining leaves. flowers, June-July. Berries pink, changing to blue-black	Creamy 
18 to 24 in	
2 to 3 ft	
opulus. European Cranberry. 9'-10' (Sold)	
opulus sterile. Common Snowball. 9'-10' Has showy round	head of
white flowers, May-June.	
15 to 18 in	
opulus nanum. Dwarf Cranberry. 1½'-2' Useful edging or shrub. Rarely flowers. Very compact.	facing
4 to 6 in	
8 to 10 in	
10 to 12 in	
prunifolium. Black Haw. 10'-12' Pure white flowers, April-June black glaucous berries. Sturdy habit. Handsome shrub	. Blue-
18 to 24 in	
2 to 2½ ft	
sieboldi. Siebold Viburnum. 9'-10' White, May-June. Berrie	s pink,
changing to black. Handsome large dark green leaves. V	
18 to 24 in	22.00 30.00
3 to 4 ft	30.00
4 to 5 ft	
tomentosum. Doublefile Viburnum. 7'-8' Flat heads of white June. Berries red to black. Good foliage.	flowers,
18 to 24 in	
2 to 3 ft	
3 to 4 ft	
4 to 5 ft	flowers
in balls, June. Handsome foliage with purple autumn c	oloring.
1½ to 2 ft	
2 to 2½ ft	
2½ to 3 ft	
3 to 4 ft	
tomentosum plicatum standard. Tree form.	
3 to 4 ft 1.00	
VITEX agnus castus. Chaste Tree. 4'-5' Dainty looking shrub-clu lilac flowers, AugSept. Gray-green star-shaped leaves-sunny location.	
10 4- 24 i-	

18 to 24 in .....

Each Per 10 Per 100	)
WEIGELA Abel carriere. Carrier Wiegela. 8'-9' Red, yellow throat, June	
3 to 4 ft\$ .35	
amabilis. Rose Wiegela. 7'-8' Light pink.	
2 to 3 ft	
3 to 4 ft	
candida. White Wiegela. 7'-8' Large pure white flowers.	
3 to 4 ft	
4 to 5 ft	
Desbois. Desbois Wiegela. 6'-7' (sold)	
Eva Rathke. Red Flowering Wiegela. 4'-5' Carmine, June-Aug. Mos	t
1½ to 2 ft	
2 to 2½ ft	)
2½ to 3 ft	
3 ft	
floribunda. Crimson Wiegela. 7'-8' Crimson, June. Free flowering.	
2 to 3 ft	
3 to 4 ft	
Lavalle. Lavalle Wiegela. 7'-8' Bright crimson.	
2 to 3 ft	
nana variegata. Variegated Leaf Wiegela. 4'-5' Pale pink flower, varie	
gated leaves—dwarf compact growth.	
18 to 24 in	
	)
2 to 2½ ft	
rosea. Pink Wiegela. 7'-8' Showy pink flowers freely produced, June Vigorous grower.	
18 to 24 in	
2 to 3 ft	
3 to 4 ft	1
4 ft	
Van Houtte. Van Houtte Wiegela. 7'-8' Carmine.	
2 to 3 ft	
4 to 5 ft	
ZANTHORHIZA apiifolia. Yellowroot. 2'-3' Good ground cover—wil	
succeed on dry sandy soil, banks etc. Small purplish flowers	
May-June.	
12 to 15 in	

### Roses

#### BUSH ROSES BY COLOR

H. P. indicates Hybrid Perpetual or June Rose

50c.	Each.	\$4.50	Ten.	\$40.00	Per	Hundred.

LIGHT PINK	DARK PINK	RED
Bar. Rothschild, H.P.	Columbia	Augustus Hartman
Conrad F. Meyer, Rug.	Gustav Grunevald	Crimson Queen
Dora Hansen	Jonkheer J. L. Mock	Edward Mawley
Frau Karl Smid	Killarney Queen	Etoile de France
Florence Pemberton George Ahrends, H. P. Gen. Arnold Jansen La Tosca Lady Ursula Lady Ashtown Mad. Butterfly Mad. Edmee Metz Marquis de Ganay Ophelia September Morn Amalie de Grieff	Lady Alice Stanley Mad. Abel Chatenay Mad. C. Testout Magna Charta, H. P. Mrs. John Laing, H. P. Mrs. Charles Russell Mrs. W. C. Miller Miss Cynthia Forde My Maryland Paul Neyron, H. P. Radiance Victor Verdier, H. P.	Gen. McArthur Gruss an Teplitz George C. Waud Gen. Jacqueminot, H.P. Hugh Dickson, H. P. Hoosier Beauty J. B. Clark, H. P. Milady Red Radiance Riene D'Italie Ulrich Brunner, H. P.

#### YELLOW

Duchess of Wellington Harry Kirk Lady Hillingdon Madam Ravary Mrs. Aaron Ward Natalie Bottner Souv. de C. Pernet

#### YELLOW SHADED PINK

Los Angeles Louis Catherine Breslau Lady Pirrie Mad. E. Herriot Mrs. A. R. Waddell Mrs. Ambrose Riccardo

#### BABY RAMBLER

Baby Rambler, Pink Edith Cavell, Crimson Ellen Poulsen, Pink Geo. Elgar, Yellow Mrs. Cutbush, Pink Orleans, Red White Baby Rambler

#### WHITE

Aug. Guinnoisseau Frau Karl Druschki, H. P. Kaiserine A. Victoria Nova Zembla, H. Rug. White Killarney

American pillar. Single red, white center.				
18 to 24 in	\$ .25			
2 to 3 ft	.35	\$3.00		
Crimson rambler. Crimson.				
18 to 24 in	.25	2.20		
2 to 3 ft	.30	2.50		
Dr. Van Fleet. Shell Pink.				
18 to 24 in	-25	2.00		
2 to 3 ft	.30	2.50	\$22.00	
3 to 4 ft	.35	3.00	25.00	
Dorothy Perkins. Pink.				
18 to 24 in	.25	2.00	18.00	
2 to 3 ft	.30	2.50	22.00	
3 to 4 ft	.35	3.00	25.00	
Dorothy Perkins. White.				
18 to 24 in	.25	2.20	20.00	
2 to 3 ft	.50	2.50	22.00	
3 to 4 ft	.35	3.00		
Excelsa. Crimson.				
2 to 3 ft	.30	2.50	22.00	
3 to 4 ft	.35	3.00	25.00	
4 to 5 ft	.40	3.50	30.00	
Gardenia, Yellow,				
2 to 3 ft	.30	2.50	22.00	
3 to 4 ft	.35	3.00	22.00	

	Each	Per 10	Per 100
Hiawatha. Single red.			
2 to 3 ft	\$ .30	\$2.50	\$22.00
3 to 4 ft	.35	3.00	Ť
Paul's scarlet climber.			
18 to 24 in	.35	3.00	
Silver moon. Semi-double white.			
18 to 24 in	.30		
2 to 3 ft	.45		
3 to 4 ft	.50		
wichuriana. Memorial Rose. White. Particu	larly us	seful for	covering
2 to 3 ft	.25	2.20	20.00
3 to 4 ft	.30	2.50	22.00
Yellow rambler. Yellow.			
2 to 3 ft	.30		

Climbing Vines				
ACTINIDIA arguta. Bower Actinidia. 20'-30' Gredark green foliage—yellow berries.				
18 to 24 in \$	.40	\$3.50	\$32.00	
AKEBIA quinata. Fiveleaf Akebia. 15'-20' A dain flower, May. Deep green leaves—persi	sting till	winter.	e, purple	
2 yr 3 yr	.30	3.50	32.00	
AMPELOPSIS engelmanni. Engelmann Creeper. 30 ing woodbine—very hardy.				
2 yr 3 yr. extra	.25	1.80 2.00	16.00 18.00	
quinquefolia. Virginia Creeper. 30'-50' Valuat	ole for r	ich fiery	autumn	
coloring.	20	1.80	12.00	
2 yr	.25	2.00	15.00	
veitchi. Japanese Creeper. 40'-50' Brilliant autu			e berries	
turning black—closely self clinging.				
1 yr	.25			
BIGNONIA radicans. Trumpet Vine. 20'-30' Showy			£1	
scarlet and orange, July. Roots as it cli		et snaped	nowers	
1 yr		1.00	9.00	
2 yr	.20	1.80	15.00	
2 yr. extra	.30		20.00	
CELASTRUS orbiculata (articulata). Oriental Bittersweet. 15'-20' Has very decorative orange and crimson berries which persist all winter.				
Picturesque shrubby growth.	which	persist all		
Picturesque shrubby growth.	which	persist all 2.00		
Picturesque shrubby growth.  2 yr  3 yr	.25 .35	2.00 3.00	18.00 22.00	
Picturesque shrubby growth.  2 yr  3 yr  3 yr  yr .extra	.25 .35 .40	2.00 3.00 3.50	18.00 22.00 25.00	
Picturesque shrubby growth.  2 yr	.25 .35 .40 laptable	2.00 3.00 3.50 vine with	18.00 22.00 25.00 or orange	
Picturesque shrubby growth.  2 yr	.25 .35 .40 laptable at and c	2.00 3.00 3.50 vine with dried. 2.00	18.00 22.00 25.00 orange	
Picturesque shrubby growth.  2 yr	.25 .35 .40 laptable it and c .25 .30	2.00 3.00 3.50 vine with dried. 2.00 2.50	18.00 22.00 25.00 o orange 16.00 20.00	
Picturesque shrubby growth.  2 yr	.25 .35 .40 laptable it and c .25 .30 .40 20'-30'	2.00 3.00 3.50 vine with dried. 2.00 2.50 3.50 White	18.00 22.00 25.00 orange	
Picturesque shrubby growth.  2 yr	.25 .35 .40 laptable it and c .25 .30 .40 20'-30'	2.00 3.00 3.50 vine with dried. 2.00 2.50 3.50 White	18.00 22.00 25.00 0 orange 16.00 20.00 25.00	
Picturesque shrubby growth.  2 yr	.25 .35 .40 laptable at and c .25 .30 .40 20'-30'	2.00 3.00 3.50 vine with dried. 2.00 2.50 3.50 White	18.00 22.00 25.00 orange 16.00 20.00 25.00 fragrant 20.00 22.00	
Picturesque shrubby growth.  2 yr	.25 .35 .40 laptable at and c .25 .30 .40 20'-30'	2.00 3.00 3.50 vine with dried. 2.00 2.50 3.50 White	18.00 22.00 25.00 o orange 16.00 20.00 25.00 fragrant 20.00	
Picturesque shrubby growth.  2 yr	.25 .35 .40 laptable at and c .25 .30 .40 .20'-30' ttractive .25 .30 .30	2.00 3.00 3.50 vine with fried. 2.00 2.50 3.50 White 2. 2.20 2.50 3.00	winter.  18.00 22.00 25.00 0 orange 16.00 25.00 fragrant 20.00 22.00 25.00	
Picturesque shrubby growth.  2 yr	.25 .35 .40 laptable at and c .25 .30 .40 .20'-30' thractive .25 .30 .35	2.00 3.00 3.50 vine with fried. 2.00 2.50 3.50 White 2. 2.20 2.50 3.00	winter.  18.00 22.00 25.00 0 orange 16.00 25.00 fragrant 20.00 22.00 25.00	

		Each	Per 10	Per 100
JASMINUM.				
LONICERA	japonica (brachypoda). Japanese Hone grower rnd blooms freely from June to ing steep banks. Almost evergreen.			
£	2 yr	.20	\$1.80 2.00	\$15.00 18.00
aurea.	apanese Golden Honeysuckle. 15'-20' yellow.	Leave	s veined	golden
	2 yr	.20 .25	1.80 2.00	15.00 16.00
halliana.	Hall Japanese Honeysuckle. 15'-25' Gragnest, deliciously fragrant.	ows ra	mpantly.	Biooms
	2 yr	.20 .25	1.80 2.20	15.00 20.00
heckrotti.	Everblooming honeysuckle. 15'-20' yellow inside, July-Sept.	Flower	s purple	·outside,
	2 yr	.27 .30	2.50 2.50	22.00
belgica.	2 yr	.25		
sempervir	rens. Trumpet Honeysuckle. 15'-20' flowers, July-Sept.		it scarlet	showy
	2 yr	.30 .35	2.50 3.00	22.00 25.00
LYCIUM bark		let flow	vers in I	ine fol-
	barum. Matrimony Vine. $10'-12'$ Vio lowed by bright red fruits. Useful for retaining walls.			
	retaining walls.  18 to 24 in	.20	1.50 1.80	15.00
	. Chinese Matrimony Vine. $12'-15'~{ m M}$ than preceding.			l fruitful
	18 to 24 in	.18 .20		16.00
PUERARIA	thunbergiana. Kudzu Vine. 40'-50' rapid. Purple flowers in August.		n is ren	narkably
	1 yr	.25 .30	2.00 2.50	
VITIS labrus	cca. Fox Grape. 20'-30' Handsome autumn effect. Will quickly cover boul 2 to 3 ft	.35	3.00	splendid
	3 to 4 ft	.40	3.50	30.00
WISTERIA	multijuga. Long Cluster Wistaria. 46 clusters, May. Seen to best advantag trees or open trellises.	7–50′ se wher	Deep bl trained	ue long on old
	18 to 24 in	.40 .45	3.50 4.00	
sinensis.	Chinese Wistaria. $40'-50'$ Purple-blue before preceding.	flower	s about	a week
	2 to 3 ft	.45 .50	4.00 4.50	35.00 40.00
sinensis a	lba. White Chinese Wistaria. 40'-50'			
	18 in	.40 .45		

## Conifers and Evergreens

These have all been transplanted, most of them several times, giving ample room for full development, and frequenty sheared to produce compact, symmetrical specimens. All balled and burlapped at the prices named, except where marked with a \*\*

marked with a \*\* Each Per 10 Per 100 ABIES cephalonica. Greek Fir. 60'-75' Has stiff shining dark green leaves. Handsome symmetrical specimen. \$2.00 2 ft..... 2.75 White Fir. 70'-80' Grows quickly and forms symmetrical beautiful specimen. large gray-green needles. 18 in ..... 2.00 ft..... 2.75 2½ ft..... 3.50 3 ft 4.50 5 8.00 ft.... 6 12.50 ft..... douglasi (pseudotsuga). Douglas Fir. 70'-80' Very hardy-dark bluishgreen coloring. Prefers well drained situation. ft..... 2½ ft ..... 2.50 3 ft..... 3.25 ft.... 5.00 7.00 5 ft ..... 9.50 ft..... 12.00 nordmanniana. Nordmann Fir. 60'-70' Grows slowly when young. Flat leaves are rich shining green above, silvery white beneath. 2 ft...... 3.00 3 ft..... 5.00 Veitch Fir. 75'-90' Forms slender pyramid—grows vigorously. veitchi. 4 ft... ANDROMEDA catesbaei (See Leucothoe) japonica (See Pieris) AZALEA amoena. Japanese Azalea. 21/2'-3' Conspicuous purple-red flowers, April-May. Leaves turn a rich bronze-green in winter. \$5.50 8 to 10 in.\*\* 10 to 12 in 6.00 1.00 9.00 12 in ..... 1.25 15 in ..... 1.50 hinodegiri. Red Japanese Azalea. (Pot Grown) 3'-4' Larger leaves and looser growth than above, flowers very bright carmine-pinkeffective in masses or with Rhododendron. 6 to 8 in.\*\*
8 to 10 in 1.00 10 in ..... 1.25 1.50 12 in ..... BERBERIS ilicifolia. Hollyleaf Barberry. 5'-6' Holly-like leaves persisting till new foliage appears -- flowers yellow. .55 5.00 18 8 to 2 to .65 6.00 .80 7.00  $2\frac{1}{2}$  to ft..... BIOTA orientalis. Oriental Arborvitae. 20'-25' Rather stiff columnar habit,

10	- III	.00	
11/2	ft	.75	6.00
2	ft	1.00	
21/2	ft	1.75	
3	ft	2.50	

	Eash.	D 10	D 100
BIOTA orientalis aurea conspicua. Goldspire Arborv yellow in spring, bronze yellow winter.	itae. 7'	Per 10 -8' Brigh w upright	nt golden
18 in	1.50 2.50 3.25		
orientalis compacta. Siebold Arborvitae. 3'-4' shaped specimen. Good fresh green co	Forms olor. .75	a compa	act oval-
orientalis elegantissima. Yellow Column Arbor		7'-8' As	
2 ft	1.25 1.50 2.50	pact, colu	ımnar.
	3.25		
orientalis nana aurea. Berckman Golden Arbo for dwarf planting—compact, roundis yellow foliage. Especially good for for	h shap mal wo	e. Warn ork and ec	n golden
6 to 8 in 8 to 10 in	.75 .85	\$6.50 7.50	
10 to 12 in	1.00	9.00	
12 in 15 in	1.25		
18 in	2.50		
Rosedale. Rosedale arborvitae. 3'-4' Fine folia	ge—sof	t texture.	
18 in	1.50		
		or formal	-
8 to 10 in.** bushy	.40 .55	3.50 4.50	\$25.00 30.00
12 in. ** "	.75	6.00	45.00
15 in. "	.90 1.25	7.00 10.00	65.00
18 in. "	3.00	10.00	
2 ft., sheared.	4.00		
Globes (clipped)			
16 in	6.00 7.00		
22 in	8.50		
Pyramidal (clipped).			
2 ft	5.00		
2½ ft 3 ft	6.00 7.50		
suffruticosa. True Dwarf Box. 3'-4' Extensivel		for edgin	g.
3 in. **		1.00	6.00
4 in. ** 6 in. **		1.50 3.50	8.00
6 in. ** 8 in. **		5.00	10.00 25.00
10 in. **		7.50	50.00
CALLUNA. Scotch Heather. 1'-2' A splendid everg in large masses on well-drained slopes. vulgaris. Purple Heather.	reen gr	ound cov	er. Best
vulgaris alba. White Heather. / 8 to 10 in**			
Deep rose.  vulgaris carnea. Pink Heather.  vulgaris rubra. Red Heather.	.35	3.00	
COTONEASTER acutifolia.			
18 in	.60 .75		
2 ft. horizontalis davidiana. Rock Cotoneaster. 1'-1½ bright red berries. Effective among rock	' Sma	ll box-like	e leaves,
10 in	.50	4.00	
12 in	.60	5.50	
15 in	.75	6.50	

36	F. & F. NURSERIES TRADE L	15 1		
			Per 10	
COTONEAS	STER microphylla. Rockspray. 1½'-2'	Very	small leav	es, very
	deep green. Rather more bushy than p	receding		
	12 in	\$ .60	\$5.50	
	15 in	.13	6.50	
	10 111 111111	1.00		
CRYPTOME	ERIA lobbi compacta. Cave Cryptomeria.	15'-20	Forms	narrow
	irregular column—compact and picture	sque. F	Rich winte	er color-
	ing, bronze-green. Prefers moist well-d		ocation.	
	18 in			
DAPHNE c	neorum. Rose Daphne. 1' Gray-green	n foliag	e-low sp	oreading
	Pretty pink flowers in April-May. Del		tragrance.	
	10 in	.85		
	12 in	1.00		
EUONYMOI	US japonicus. Japanese Euonymus. 5'-	-6' Lu:	strous dee	p green
	leaves. Upright bushy habit. Needs v		rotection	nere.
	8 to 10 in**	.33		
				,
patens (	sieboldianus.) Spreading Euonymus. 6	7-8 G	rows vig	orously,
	forming broad, rather loose shrub, le winter. Ornamental fruits. Effective	among (	denser co	nifers.
	12 in.**	.35	3.00	
un dianne	12 in.**	Salf aline	ring vina	Good
Taulcans	for covering low walls, also useful for	or under	olanting	among
	evergreens.			
	8 to 12 in.** 2 yr., bushy	.20	1.50	\$12.00
	12 to 15 in.** " "	.25	2.00	18.00
radicans	acutus. Sharpleaf Wintercreeper. A g	raceful	form wi	th long
	narrow leaves, white veins, purplish un-	derneath	•	
	15 in., 2 yr.**. 18 in., 3 yr.**. 2 ft.	.25	2.20	20.00
	18 in., 3 yr.**	.55	3.00	25.00 30.00
un dianna	carrierei. Glossy Wintercreeper. Has la	raa abir	4.00	
Taulcans	—bushy habit.	ilge, siin	ry, ponite	u leaves
	12 to 15 in.** 2 vr	.30	2.50	
	12 to 15 in.** 2 yr	.35	3.00	
radicans	variegatus. Variegated Wintercreeper. L		eined and	marked
	yellowish white and pink Clinging vir			
	8 to 12 in.** 2 yr., bushy	.18	1.50	
. 19				
radicans	vegetus. Bigleaf Wintercreeper. 3'-4' Leaves round, dull green. Bright scarle	ousny ii	freely p	growth.
	Handsome among evergreens.	ct mans	ricely pi	ouuccu,
	8 to 12 in.** 2 yr	.30	2.50	20.00
	8 to 12 in.** 2 yr	.35	3.00	25.00
	15 to 18 in.** 3 yr., bushy	.40	3.50	30.00
radicans	vegetus. (Grown from seedlings). Doe	s not fr		-
	2 yr. **	.25		12.00
	J y1.	.50		18.00
ILEX crenat	a. Japanese Holly. 8'-10' Box-like leav	es, rich	deep gr	een and
	leathery. Stiff, branching—makes a go	1.25	де. Біаск	berries.
	18 in	1.50		
crenata	microphylla. Small leaf Japanese Holl		y Smalle	r leaves
Cicilata	and more hardy than preceding.	y. 0-0	Jilialle	1 leaves
	15 in	1.00	8.50	
	18 in	1.50		
	2 ft	2.25		
	3 ft	5.00		
4.1	4 ft	6.00		
glabra.	Inkberry. 5'-6' Shining dark green le	also also	urplish in	winter.
	Black berries. Useful for shady spots,	.75	ceeus in s	sun.
	1 4 111	./ 3		

		Each Per 10 Per 100
ILEX opaca.	American Holly. 25′-30′ Does best place. Rather difficult to transplant.	in moist partially shaded
	2 ft	\$2.50 4.00
JUNIPERUS	canadensis. (See Communis)	
chinensis	. Chinese Juniper. 15'-20' Formal col foliage.	umnar outline, gray-green
	18 in	1.50
chinensis	albo variegata. White leaf Chinese Ju cous foliage with creamy branchlets useful in low plantings.	niper. 6'-8' Light glau- interspersed. Formal but
	12 in	
chinensis	columnaris. Columnar Chinese Juniping tall narrow column of gray foliage useful in mixed evergreen planting.	
	2 yr	2.50
chinensis	neaboriensis. Conical Chinese Juni narrow pyramid. Prickly leaves. Us	per. 7'-8' Very formal seful accent plant.
	18 in	1.25
	2 ft	1.75 2.25
	3 ft	3.00
chinensis	oblonga. 7'-8' Forms a broad irregular branches. Grayish foliage shaded pur	lar pyramid with feathery rple in winter.
	15 in	1.00
		1.50
	2 ft	2.25
	2 ft	3.75
chinensis	pfitzeriana. Pfitzer Juniper. 5'-6' B green foliage, giving feathery appea hardy evergreen, highly recommended.	Broad bushy habit. Gray- Brance. A most adaptable
	1½ ft	1.75
	2 ft	2.50
	2½ ft	3.50
chinensis	sargenti. Sargent Juniper. 1½' Profoliage. A valuable ground cover and	ostrate habit. Grass-green
	12 to 15 in	2.00
	s. Common Juniper. $2'-2\frac{1}{2}'$ Forms	
	s aurea. Golden Common Juniper. habit. Golden foliage, particularly bri	ght in spring.
	12 in	1.00
	is canadensis. Canada Juniper. 2½'- shaped bush. Leaves dark green above	ve, bluish beneath.
	12 in	.85 1.15
	18 in	1.50
communi	s cracovica. Polish Juniper. 4'-5' ground, making very narrow column.	Upright, branching from
	10 in	.75 1.00
		A very narrow pyramid.
	12 in	.60
	15 in	.75
	18 in	1.00

F. & F. NURSERIES TRADE LIST 38 Each Per 10 Per 100 JUNIPERUS communis depressa (prostrata.) Prostrate Common Juniper. 1'-11/6' Branches spread almost along ground—a useful ground cover and rock plant. in \$ .75 \$6.50 \$60.00 15 1.00 9.00 85.00 in .,.... in .. 1.25 10.00 18 1.75 2 ft..... 2½ ft..... 2.75 communis suecica nana. Dwarf Swedish Juniper. 3'-31/2' A narrow, compact column. 12 in..... .90 8.00 1.25 11.00 conferta (litoralis). Shore Juniper, 1'-11/2' Prostrate habit, useful on sandy places or seaside planting. 2 yr ..... 1.00 excelsa stricta. Spiny Greek Juniper. 4'-5' Compact, well-shaped pyramid. Foliage gray-green, Most useful for formal effects. 12 in.... 1.25 2.75 3.25 18 in..... 2 ft..... 2½ ft..... 4.50 6.00 horizontalis (sabina prostrata). Creeping Savin. 1'-11/2' Branches trail 1.35 2.00 2.50 horizontalis douglasi. Waukegan Juniper.  $l'-l\frac{1}{2}$  Long branches trailing along ground. Steely-blue foliage. A splendid ground cover, also effective among rock. Distinct purple hue in winter. 12 in ..... 1.00 1.50 2.00 japonica aurea. Golden Japanese Juniper. 2'-21/2' Sold. japonica aurea variegata. Golden Variegated Juniper. 2'-21/2' Savin. 6'-7' Dense dark green foliage. Spreading branches, sabina. forming irregular vase-shaped bush. ,85 1.00 10 in ..... 7.50 12 in ..... 9.00 15 in ..... 1.35 12.50 18 in ..... 2.00 2,50 sabina tamariscifolia. Tamarix Juniper.  $1'-1\frac{1}{2}$  Flat spreading growth, making compact but soft texture in low evergreen planting. 

 10 to 12 in
 1.00

 12 to 15 in
 1.25

 15 to 18 in
 1.50

 11.00 13.50 18 in..... 2.50 virginalis globosa. Globe Japanese Juniper. 11/2-2' Thin round branch-10 in..... 1.00 virginiana n, deep green foliage

10	111		2.00
	Redcedar. 25'-30'		
-	purplish in winter.	Useful in formal	work
18	in		.75
- 2	ft		1.35
3	ft		2.75
	ft		4.00
	ft		5.50

or mixed plantings.

JPNINGFIELD, I	NEW JERSE I 39
HIMIDEDIIC mindinione commenti. Comm	Each Per 10 Per 100
JUNIPERUS virginiana cannarti. Cann foliage, dense growing col	
2 ft	
2½ ft	2.25
3 ft 4 ft	
virginiana elegantissima Goldtip R tips to branches, turning	edcedar. 10'-12' Has bright yellow
18 in	
2 ft	2.00
2½ ft	2.75
virginiana glauca. Silver Redcedar.	15'-20' Bluish-gray foliage—distinct.
18 in	
2 ft 2½ ft	
3 ft	
virginiana pendula. Weeping Redo droop over giving a pictur	edar. 8'-10' Branches lengthen and
2½ ft	2.00
3 ft	3.00
virginiana schotti. Schott Redcedar Compact formal columnar	
2 ft	
2½ ft	
	dcedar. $4'-5'$ A bushy half upright
18 in	
2 ft	
2½ ft	
waukegan. (See Horizontalis Dougla	
ALMIA latifolia. Mountain Laurel. 5	6'-7' Most effective in June when the en Good foliage, likes shade.
12 to 18 in	1.25 \$10.00 \$85.00
18 to 24 in	1.50 12.50 100.00
$\frac{2}{2\frac{1}{2}}$ to $\frac{2\frac{1}{2}}{2}$ ft	
EUCOTHOE catesbaei. Drooping	Leucothoe. $3'-4'$ Attractive white lustrous leaves, rich autumn coloring.
12 in 15 in	
18 in	
ICEA alba. White Spruce. 50'-60' Si specimen of close texture.	lvery foliage—develops into shapely
12 in	
15 in 18 in	
2 ft	
alba albertiana. Dwarf Alberta Sprugrowing variety, valuable fis desired.	ce. $2\frac{1}{2}$ '-3' Extremely compact, slow- for small gardens or where small scale
	2.75
10 in 12 in	
engelmanni. Engelmann Spruce. 80 regular whorls. Forms a	0'-90' Steel-blue foliage, branches in
5 ft	
6 ft	

40	F. & F. NURSERIES TRADE L	IST
	•	Each Per 10 Per 100
PICEA excels	sa. Norway Spruce. 80'-100' A good	windbreak.
	18 in\$	3 .85
	2 ft	1.25
	2½ ft	1.75 2.50
	3½ ft	2.75
	4 ft	3.25
	5 ft	4.50
	6 ft	6.00 7.50
	•	
excelsa (	Compact and symmetrical. Good for f	oundation planting.
	10 in	1.00
	12 in	1.25 1.50
	2 ft	2.50
	2½ ft	3.50
excelsa p	growing. Deep green. Most interesting	Very compact and slow g and useful.
	18 in	2.50
	2 ft	3.50
omorika.	Servian Spruce. 70'-80' A dense, hardy. Grows quickly.	narrow pyramid. Very
	6 ft	8.50
	7 ft	0.00
orientalis		metrical specimen. Deep Slow grower.
	15 in	1.25
	18 in	1.75
	2 ft	2.25 3.25
	4 ft	5.00
pungens.		
	18 in	1.25
	2 ft	2.00
	4 ft	5.00
	5 ft	6.50
pungens	glauca. Blue Colorado Spruce. 50'-6' grayish green, which, with the distinct	8.00  The thick needles are
	light and shade effects.	
	4 ft	6.00
	5 ft	7.50 9.50
numdor		
	kosteri. Koster Blue Spruce Sold.	
PIERIS japo	nica. Japanese Andromeda. 5'-6' Thi bronze in winter. Drooping clusters of in May. Grows slowly. Best in mo	small white flowers open
	12 to 15 in	1.50
	austriaca. Austrian Pine. 60'-70' Ric dense grower. Good for background.	h dark green. Vigorous,
	2 ft	1.50 2.00
	Swiss Stone Pine. 20'-25' Thin bluis	
cembra.	growth give soft texture. Symmetrical young. Grows slowly.	
	12 in	1.50
	18 in	2.50
	2 ft	3.50 5.00
		3.00

Each Per 10 Per 100

PINUS flexilis. Limber Pine. 30'-40' Bluish or of for rocky places. Grows slowly.	dark green leaves. Good
18 in	\$1.50 2.00 2.50 4.00 6.00 7.50
montana mughus. Mugho Pine. $2\frac{1}{2}$ '-3' For Useful for rock planting and foundation	ms a round-topped bush. n work.
12 in	1.35 1.75 2.50 3.50
monticola. Western White Pine. 30'-40' Stiff graceful, slender tree.	bluish leaves. Forms a
2 ft	2.25 3.50
resinosa. Red Pine. 50'-60' Rich green stift bark. Vigorous, symmetrical grower.	leaves. Reddish brown
2 ft 2½ ft	1.50 2.00
rigida. Pitch Pine. 40'-50' Irregular, picturesqi poor soil and seashore planting—quick	
2 ft	1.50 2.00 2.75
strobus. White Pine. 80'-100' Probably our r	nost adaptable and useful
2 ft	1.25 1.75 2.25 5.50 6.50 8.00
RETINISPORA ericoides. Heath Retinispora. 3'-4 giving woolly effect. Forms a round,	Has heather-like leaves, broad bush.
12 in	.65 .90 1.25 2.00 2.75
leptoclada. Andely Cypress. 5'-6' Broadly green foliage.	columnar habit, bluish-
12 to 15 in	1.00 1.25
<b>obtusa.</b> Hinoki Cypress. 15'-20' Dark green slowly.	lustrous foliage. Grows
18 in	1.50 2.25
obtusa compacta. Football Cypress. $2\frac{1}{2}$ '-4' Good green throughout winter. Ver formal work.	Almost spherical in shape. y useful in foundation or
12 in	1.00 2.25
obtusa crippsi. Cripps Golden Cypress. $10'-12'$ leaved form. Slow growing, hardy.	Particularly good golden
12 in	1.25 1.50 1.85 2.50

Each Per 10 Per 100

	Each Per 10 Per 100
RETINISIPORA obtusa gracilis. Slender Hinoki Cy irregular pyramid, rich dark green foli	vpréss. $12'-15'$ Narrow iage. Slow grower.
12 in	\$1.25
15 in	1.50 2.00
2 ft	2.50
obtusa gracilis compacta. Compact Hinoki Cy and compact grower. Roughly pyr	ypress. $4'-5'$ Very slow ramidal in outline.
12 in	1.75
18 in	2.50 3.25
2 ft	
obtusa nana. Dwarf Hinoki Cypress. 2'-2½' F mass, interesting and useful especially fo	orms a dense irregular little or rock gardens.
10 in	_
obtusa nana aurea. Dwarf Golden Hinoki Cyp	
leaved form of preceding.	2 2/2 11 golden
10 in	1.50
obtusa youngi. Young Golden Hinoki Cypress. habit. Good constant light yellow fol	12'-15' Graceful loose iage on outside of bush.
15 in	1.25
18 in	1.75 2.25
2 ft	
pisifera. Sawara Cypress. 25'–35' Quick grow	ver. Loosely pyramidal.
1½ ft	1.50
2 ft	2.00
2½ ft	2.75 3.50
pisifera aurea. Golden Sawara Cypress. 25'	
especially in spring.	55 Fonage origin yellow,
15 in	1.25
18 in	1.75
2 ft	2.50 · 3.00
plumosa. Plume Cypress. 25'–35' Forms a d	
Useful for shearing into formal shapes	
12 in	.65
15 in	1.50 1.50
2 ft	2.00
2½ ft	2.75
3 ft	3.50
plumosa aurea. Golden Plume Cypress. 20'-2.	
15 in	1.20 1.75
2 ft., "	2.50
2½ ft	3.00
plumosa lutescens. Dwarf Yellow Plume Cy low, broad, round-topped bush; bright	ypress. $2\frac{1}{2}$ '-3' Forms a yellow tipped branchlets.
10 in	1.00
12 in	1.25
18 in	2.50
filifera. Thread Cypress. 15'.20' Has long, st and bright green foliage. Graceful and	tringy, drooping branches d decorative.
12 in	1.00
15 in	1.25
18 in	1.75 2.75
2½ ft	3.25
3 2 ft	5.00

Each Per 10 Per 100 RETINISPORA filifera aurea. Golden Thread Cypress. 10'-12' Very bright conspicuous golden yellow. Grows more slowly than preceding. 8 to 10 in \$1.00 10 to 12 in 1.35 12 in 1.75 filifera aurea nova. Variegated Thread Cypress. 10'-12' Branches are variegated green and yellow. .85 squarrosa veitchi. Veitch Moss Cypress. 25'-30' Foliage blue-gray, feathery and dense giving soft wooly appearance. Broad pyramidal outline when young. 12 in ..... 1½ ft., bushy 2 ft., " 2½ ft 3.00 squarrosa sulphurea. Sulphur Moss Cypress. 20'-25' Similar in growth to Veitch's but has light yellow tips. 1.00 15 in ..... thyoides. Whitecedar. Irregular slender outline, bluish-gray fragrant foli- 

 age purplish in winter.
 Valuable for low marshy places.

 2 ft.
 2.00

 2½ ft
 2.50

 RHODODENDRON. 3'-8' Hybrid Rhododendron. Album elegans-white. Parson's rubrum-red. Roseum elegans-pink. 2.50 4.50 carolinianum. Carolina Rhododendron. 4'-6' Rosy-purple flowers, May-June. Compact bushy habit, best in moist partly shaded places. May-June. Large deep green leaves, prefers half-shade. 12 18 . Rosebay Rhododendron. 8'-12' Beautiful light pink flowers freely produced in May-June. Large handsome foliage. maximum. most effective in masses. minus (punctatum). Piedmont Rhododendron. 4'-5' Pale rose flowers in May. 2.50 TAXUS baccata adpressa erecta. Shortleaf English Yew. 3'-5' Compact upright habit. Stiff dark green leaves crowded on branches. 10 to 12 in ..... 1.00 baccata repandens. Spreading English Yew. 11/2'-2' Spreading horizontal branches, dark blue-green leaves. Valuable for low planting. 
 10 in
 1.00

 12 in
 1.25

 15 in
 1.75
 2.50 18 in .....

Each Per 10 Per 100 TAXUS canadensis. Canada Yew. 2'-2½' Spreading habit. Bronzy in winter. Prefers shade—good for underplanting. 10 in......\$ .85 1.50 cuspidata. Japanese Yew. 4'-5' (Spreading form.) Rich deep green leaves. Spreading bushy habit. Valuable in foundation planting. 1.25 in ..... 15 1.75 in ..... 2.75 18 in ..... ft..... 3.50 5.00 cuspidata brevifolia. Dwarf Japanese Yew. 2'-3' Broad thick leaves, blackish green. Slow growing and irregular spreading habit. 10 in., bushy..... 1.35 12 in..... 1.85 15 in..... 18 in..... 2.75 THUJA occidentalis. American Arborvitae. 15'-30' Slender pyramid with broad base. Bronzy winter coloring. Good accent plant or for a hedge. 2½ ft..... 1.75 2.25 3.00 4.00 6.00 7.00 8.00 10.00 5½ ft. specimens..... ft. specimens.... 7 ft. specimens..... occidentalis columbia. Columbia Arborvitae. 6'-10' Branches tipped with silvery white. Formal narrow pyramid. occidentalis compacta. Parsons Dwarf Arborvitae. 2½'-4' Almost globe shaped. Bright green. Useful in formal or foundation planting. 12 in..... 1.00 \$9.00 15 in ..... 1.25 11.00 1.75 18 in ..... 3.00 2 ft. specimens..... occidentalis douglasi aurea. Douglas Golden Arborvitae. 10'-15' A broad pyramid with golden green foliage. 2½ ft..... 2.50 3.25 5.00 4 ft..... 6.00 occidentalis elegantissima. Golden Tipped Arborvitae. 10'-15' Branches tipped with yellow. Rich lustrous green otherwise. 18 in ...... 1.35 2½ ft. 1.75 2½ st. 2.50 ft..... occidentalis ellwangeriana. Tom Thumb Arborvitae. 4'-6' Has heatherlike leaves—dense habit—soft, close texture. Forms low, broad, blunt pyramid. Rich purple winter coloring. 7.50 9.00 12.00 15.00 occidentalis globosa. Globe Arborvitae. 2½'-3' Useful in formal work. Naturally globe shaped. .65 8 in\_\_\_\_\_ 6.00 7.50 10 in..... .85 12 in ...... 1.00 15 in ..... 1.35

Each Per 10 Per 100 THUJA occidentalis hoveyi. Hovey Arborvitae. 3'-4' Oval in shape, nearly as broad as high. Bright green foliage. \$ .90 \$8.00 1.20 11.00 13.50 occidentalis lutea. Geo. Peabody Arborvitae. 10'-15' Conspicuous golden yellow form. Columnar outline. 15 in ..... 1,00 18 in ..... 2 ft 2.00 2½ ft 2.75 occidentalis plicata. Moss Arborvitae. 10'-20' Rich deep blue-green foliage. Short stiff branchlets give pleasing effect in light and shade. Formal pyramid. 

 2
 ft
 1.25

 2½
 ft
 1.75

 3
 ft
 2.50

 1.25 11.00 occidentalis pyramidalis. Pyramidal Arborvitae. 15'-30' Retains bright green coloring throughout winter. Narrow columnar shape, splendid for accents or formal planting. 18 in ..... .90 1.25 2 tt.
2½ ft. 1./5
3 ft. 2.25
3½ ft. 3.00
4 ft. 4.00
5 ft. specimens 6.50 occidentalis rosenthali. Rosenthal Arborvitae. 6'-10' Dense rugged columnar form. Slow grower. 1.25 11.00 1.50 12.50 18 in ..... 1.75 occidentalis spaethi. Spaeth Arborvitae. 21/2'-4' Two kinds of leavesheathlike and scaly. Interesting and distinct. 18 in ...... 1.00 occidentalis umbraculifera. Umbrella Arborvitae. 2'-3' Particularly good-low, mushroom shaped form with rich green foliage. 12 in..... 1.10 1.50 occidentalis vervaeneana. Vervaene Arborvitae. 8'-12' Variegated with greenish yellow foliage, bronzy in winter—broadly pyramidal. 2.00 occidentalis vervaeneana aurea. Golden Vervaene Arborvitae. 8'-12' A more intense yellow than preceding. 1½ ft..... 2 ft..... ½ ft 1.75 3.00 3 ft 3½ ft 4 ft wareana (siberica.) Siberian Arborvitae. 12'-15' Light green fleshy foliage. Broadly pyramidal, rugged in appearance. 

3.50

· Each Per 10 Per 100

\$1.20

· Each Per 100
TSUGA canadensis. Canada Hemlock. 75'-90' Most graceful and adaptable,
the spreading horizontal branches making effective shadow effects.
Useful as either clipped hedge or informal planting.
18 in
2 ft
2½ ft
2 ft 2,00 2½ ft 2,50 3 ft 3,00
sargenti. Sargent Weeping Hemlock. Distinctly graceful habit. Forms a
broad flat-topped specimen with pendulous branches.
2 ft 6.00
2½ ft
VIBURNUM rhytidophyllum. Leatherleaf Viburnum. 6'-8' Large oblong
leaves, deep green above, gray beneath, a bold handsome shrub.
12 to 18 in
YUCCA filamentosa. Adam's Needle. 2'-3' Long lance-like leaves. Tall
flower spike grows up quickly in June-July. Numerous creamy
flowers and general appearance give tropical effect. Useful for

## Hardy Herbaceous Perennials

Trainty Tremaceous i ere		.13	
* indicates plants suitable for rockery or alpine gard-	ens.		
ACHILLEA ageratum. Sweet Yarrow. 2'	Each	Per 10	Per 100
Yellow, June-Sept \$		\$1.20	
ptarmica Boule de niege. Ball of Snow Yarrow. White, June-Sept	18'' .15	1.20	\$10.00
ptarmica fl. pl. Sneezewort. 18" Pot grown. Double white, June–Sept	.15	1.20	10.00
*tomentosa. Wooly Yarrow. 1' Yellow, June Sept	.15	1.20	10.00
ACONITUM fischeri. Azure Monkshood. 2½' Pot Dark blue, SeptOct	grown .25	2.20	
*AETHIONEMA coridifolium. Lebanon Stonecress.	1' Po	t grown 2.20	١.
ALTHAEA. Hollyhock. 5'	.15	1.00	8.00
Assorted, single and double, July-Aug *ALYSSUM saxitale compactum. Dwarf Golden Tu	ft. 1'	Pot G	own.
Yellow, April-May	.12	1.00	8.00
ANTHEMIS tinctoria kelwayi. Kelway Camomile.	.20 2′	1.50	
Yellow, June-Oct	.12	1.00	8.00
AQUILEGIA caerulea. Colorado Columbine. 18" Blue and white, May-June	.15	1.20	10.00
cl rysantha. Golden Columbine. 2' Pot grown. Yellow, May-June	.15	1.20	10.00
*flabellata nana. White Fan Columbine. 1' Pot White May-June	.15	1.20	10.00
formosa truncata. California hybrids. 2' Various colors, May-June	.15	1.20	10.00
*ARABIS alpina. Wall Cress. 6" White, April-May	.15	1.20	10.00
*flore pleno. Double Wall Cress. 6" Pot grown White. April–May	.18	1.50	12.00
*ARENARIA montana. Sand-wort. 4" Pot grown. White, April-May	.15	1.20	
*ARMERIA maritima. Sea-thrift. 6" Pot grown. Pink, May-June	.12	1.00	8.00
*ASTER alpinus. Rock Aster. 8" Pot grown. Lilac, May-June	.12	1.00	
Beauty of colwall. 4' Lavender, AugOct	.15	1.20	10.00
nova anglae. 3' Purple shades, Aug-Sept	.15	1.20	10.00
sub-coeruleus. 12" Mauve, June-July	.15	1.20	10.00
*AUBRETIA deltoidea. Common Aubretia. 6" Por			10.00
Violet, April-May	.20	1.50	12.00
Dark blue, May-July* *BELLIS perennis. English Daisy. 5"	.15	1.20	
Pink, May-June.	.12	1.00	8.00
Giant red. 5" Large red, May-June	.12	1.00	8.00
BOLTONIA asteroides. White Boltonia. 4" AugSept	.12	1.00	8.00
latisquama nana. Dwarf Pinkray Boltonia. 2' Light pink, AugSept	.12	1.00	8.00
*CAMPANULA carpatica. Carpathian Bellflower. 6 Light blue, July-Aug	.15	1.20	10.00
*alba. White Carpathian Bellflower. 6" White, July-Aug	.15	1.20	10.00
glomerata. Danesblood. 18" Pot grown Dark blue, June–July	.15	1.20	
medium. Canterbury Bells. 2' Blue, pink, white, June	.12	1.00	8.00
, , , , , , , , , , , , , , , , , , , ,			0.00

48 F. & F. NURSERIES TRADE L.	ST		
E	Each	Per 10	Per 100
CAMPANULA medium calycanthema. Cup and Sau		2'	
	.12	\$1.00	\$8.00
persicifolia. Peach-leaved Bell-flower. 2'			
Blue, June-July	.12	1.00	
persicifolia alba. White Peach-leaved Bell-flower.	2'		
White, June-July		1.00	
CENTAUREA montana. Bluet. 2' Pot grown.		1.00	
June-Sept	.12	1.00	
montana alba. White Mountain Bluet. 18" Po			
White, June-Sept	.12	1.00	
	•12	1.00	
*CERASTIUM tomentosum. Snow-in-Summer. 6" White, May-June	.12	1.00	
	.12	1.00	
CHELONE glabra. Turtlehead. 2' Pot grown.	.15	1.20	10.00
White, August-Sept		1.20	10.00
*CALANDRINIA umbellata. 6" Peruvian Rock Pur		1 00	
Purplish crimson, July-Oct	.15	1.20	
CHRYSANTHEMUMAll pot grown	.15	1.29	10.00
Dean Emery. 2½' Large. Yellow, medium.	Oct.		
Donkelaria. 2½' Large. Yellow, early Oct.			
*Firelight. 2½' Large. Bright carmine, early.			
*Globe D'Or. 18" Button. Yellow, early.			
· · · · · · · · · · · · · · · · · · ·			
*Harrie. 2' Pompom. Yellow, medium.			
*La Garrone. 2' Large. Rose and buff, early.			
*L'Argentuillais. 2' Large. Bronzy red, mediur	n.		
*Marie Dupont. 3' Large. White, early.			
Maximum. 2' White, July-Sept.			
Maximum Alaska. 2' White, July-Sept.			
*Mrs. H. Harrison. 3' Pompom. Blush, early.			
*Oconto. 2' Large. White, medium.			
*Pink Doty. 3' Pompom. Clear pink, medium.			
*Queen of whites. 3' Large. Creamy white, lat			
	c.		
*Red Doty. 3' Pompom. Wine red, medium.			
*Rose Travena. 2½' Large, deep rose, medium.			
*St. Illoria. 2½' Large. Pink, medium.			
*Soeur Melanie. 2½' Large. White, medium.			
*Tennyson. 2' Pompom. Red, late.			
*White Doty. 3' Pompom. White, medium.			
*Zenobia. 18" Button. Yellow, early.			
CONVALLARIA majalis. Lily-of-the-Valley. 8"			
White, May-June	.30		
COREOPSIS floribunda. Coreopsis. 2' Pot grown.			
Yellow, June-Sept	.15	1.20	10.00
lanceolata. Lance Coreopsis. 2'			
Yellow, June-Oct	.12	1.00	8.00
	.12	1.00	0.00
DELPHINIUM belladonna. Larkspur. 2½'			
Light blue, June-Oct	.15	1.20	10.00
chinensis. Slender Larkspur. 2'			
Deep blue, June-Oct	.15	1.20	10.00
chinensis alba. White Slender Larkspur. 2'			
	.15	1.20	10.00
White, June-Octelatum. Bee Larkspur. 2' Blue, June-Oct	.15	1.20	10.00
formosum. Hardy Larkspur. 2½'			
Dark blue, June-Oct	.15	1.20	10.00
hybrids. Larkspur. 2' to 4' Blue, June-Oct.	.15	1.20	10.00
DIANTHUS barbatus. Sweet William. 1½'			
Red, white, pink, May-June	.12	1.00	8.00
Newport pink. Sweet William. 18"			
Pink, May-June	.15	1.20	10.00
latifolius atrococcineus. Hybrid Sweet William.	l'		
Crimson, May-June	.12	1.00	8.00

SPRINGFIELD, NEW JERS	EY		49
DIANTHUS	Each	Per 10	Per 10
Miss America. 18" Double scarlet, May-Sept.	\$.15	\$1.20	\$10.00
*plumaris. 1' White, May-June	.12	1.00	8.00
Gertrude. 10" Double red, May-June	.15	1.20	10.00
Her Majesty. 10" Double white, May-June	.15	1.20	10.00
Jean. 18" Double white, red center, May-Sep.	.15	1.20	10.00
Robert. 18" Double. Deep pink, May-June	.15	1.20	10.00
*DICENTRA spectabilis. Bleeding Heart. 18"			
Pot grown. Deep rose, April-May	.35	3.00	
DICTAMNUS caucasicus. Gas-plant. 3'			
Pot grown. White, June-July	.20	1.50	
DIGITALIS ambigua. 2½' Yellow, June-July	.15	1.20	
purpurea. Foxglove. 2½'			
Rosy purple, June-July	.15	1.20	
alba. White Foxglove. 2' White, June-July	.15	1.20	
*DRACOCEPHALUM grandiflorum. Dragon's			
*DRACOCEPHALUM grandiflorum. Dragon's Head. I' Pot grown. Blue, June–July	.20	1.50	
ECHINACEA purpurea. Purple Coneflower. 31/2"			
Purple, July-Aug	.15	1.20	10.00
ECHINOPS humilis. Globe Thistle. 2' Pot grown.			
Steel-blue, July-Aug	.15	1.20	
ritro. 3' Steel-blue, July-Aug	.15	1.20	
*DRABA rupestris. Whitlow Grass. 4"			
Pot grown. White, April-May	.15	1.20	
ERYNGIUM alpinum. Eryngo. 2' Pot grown.			
Steel-blue, June-July	.15	1.20	10.00
EUPATORIUM coelestinum. Blue Mistflower. 2	•		
Blue, Aug. Oct		1.20	
fraseri. Melissa Thoroughwort. 2'			
White, AugOct	.12	1.00	8.00
FUNKIA subcordata. White Plantain Lily. 18"			
White, July-Aug	.15	1.20	
undulata variegata. Variegated Leaf Funkia.		1.20	
18" Blue, July-Aug	.15	1.20	
GAILLARDIA grandiflora. Blanket Flower. 18"			
Yellow and Red, May-Nov	.12	1.00	
GEUM chiloense. Double Crimson Avens. 18"			
Crimson, June-July	.12	1.00	
Mrs. Bradshaw. Avens. 18"			
Double Red, June-July	.15	1.20	
montanum heldriechi. Orange Avens. 18"			
Pot grown. Orange, May-July	.15	1.20	10.00
*GENTIANA acaulis. Stemless Gentian. 4"			
Pot grown. Dark Blue, March-May	.25	2.00	
andrewsi. Closed Gentian. Pot grown. 18"	20	1.50	
Blue, AugSept	.20	1.50	
*GLOBULARIA trichosantha. Globe Daisy. 6"	1.5	1 20	10.00
Pot grown. Blue, May-June	.15	1.20	10.00
GYPSOPHYLLA paniculata. Baby's Breath. 2' White, June-July	.15	1.20	10.00
	.13	1.20	10.00
HELIANTHEMUM chamaecistus mutabile. 18" Fickle Sunrose. Pot grown.			
Pink, May-Sept	.15	1.20	10.00
HELENIUM autumnale superba. Sneezeweed. 4'			
Yellow, Aug-Sept	-15	1.20	10.00
Riverton gem. Bronze Sneezeweed. 3'			
Bronze, AugSept.	.15	1.20	10.00
HELIANTHUS fl. pl. 4 to 5' Yellow, Aug-Sept.	.12	1.00	
HELIOPSIS. Golden Sun. 31/3'			
Yellow, July-Sept	.12	1.00	
helianthoides pitcheriana. Pitcher Heliopsis			
3' Yellow, July-Sept	.12	1.00	
HEMEROCALLIS flava. Yellow Day Lily. 21/2'			
Yellow, May	.15	1.20	

1. 61. NOTE TABLE			
HEUCHERA sanguinea. Alum Root. 18"	Each	Per 10	Per 100
Pot grown. Crimson, May-Sept	\$ .15	\$1.20	
Pink, AugSept.	.15	1.20	\$10.00
crimson eye. 4' Crimson. AugSept	.15	1.20	10.00
moscheutos. Mallow Marvels. 4' AugSept.	.15	1.20	10.00
HOLLYHOCK. (See Althea)			
*IBERIS gibraltarica. Gibraltar Candytuft. 1' Pot grown. Lilac, May-June	.15	1.20	
*sempervirens. Evergreen Candytuft. 10" White, April-May	.15	1.20	10.00
sempervirens. Little Gem. Evergreen Leaves. White, April	6" .18	1.50	12.00
*IRIS pumila cyanea. Dwarf Iris. 8" Purple, May	.12	1.00	8.00
germanica. Fleur-de-lis. (German Iris)		1.20	10.00
	mer—lav		
	-yellow		
Dir Bermer	I. Darwir		with vio-
Cranita Plua-light blue	let base		pencilled
Gracchus—pale yellow, suff-	blue	wnite	pencinea
used red Mme.	Pacquitte	rosy o	claret
sibirica. Siberian Iris. 2' Purple, May-June	.15	1.20	10.00
sibirica alba. White Siberian Iris. 2' White, May-June	.15	1.20	10.00
LATHYRUS latifolius. Perennial Pea. 3' Pot grown. Pink, June-Aug	.15	1.20	10.00
*LINUM perenne. Blue Perenial Flax. 1' Pot grown. June-July	.12	1.00	8.00
*perenne album. White Flax. 1' Pot grown.	.12	1.00	8.00
LOBELIA cardinalis. Cardinal Flower. 2½' Scarlet, July–Aug	.15	1.20	
syphilitica. Large Blue Lobelia. 2' Pot grown. Blue, Aug-Sept	.15	1.20	10.00
*LITHOSPERMUM fruticosum (prostratum) 4" Pot grown. Blue, June-Sept	.30	2.50	
LIATRIS pycnostachya. Kansas Gay Feather. 4' Pot grown. Purple, July-Aug	.15	1.20	
Pot grown. Blue, June–July polyphyllus albus. 3' Pot grown. White,	.20	1.50	12.00
June-July polyphyllus roseus. Pot grown. Blush Lupine.	.20	1.50	12.00
Pink, June-July LYCHNIS chalcedonica. Maltese Cross. 2'	.20	1.50	12.00
Scarlet, June–July	.15	1.20	10.00
May-June viscaria splendens. Rosepink Campion. 1'	.15	1.20	
Crimson, May-June  LYTHRUM salicaria roseum. Rose Loose-	.15	1.20	
strife. 2½' Pink, July–Aug	.15	1.20	
Pot grown. Red, June-Aug **MYOSOTIS scorpioides (palustris). Forget-me-	.15	1.20	
not. 10" Blue, May-Sept* *NEPETA mussini. 8" Pot grown.	.15	1.20	10.00
*NIEREMBERGIA rivularis. Whitecup. 4"	.15	1.20	10.00
Pot grown. White, June-Aug.	.15	1.20	

	Fach	Per 10	Par 100
OENOTHERA youngi. Evening Primrose. 2'			
	\$ .15	\$1.20	\$10.00
speciosa. White Sundrops. 18" Pot grown.	1.5	1.20	10.00
White, AugSept PACHYSANDRA terminalis. Japanese Spurge. 8"	.15	1.20	10.00
Pot grown. Greenish white, May	.60	5.00	40.00
PAEONIA sinensis. Peony.			
		th- white	2
August d'Hour-dark red La Tulip			
Canari—yellow Louise V Delachi—red Modest (		outte —de	ep rose
Eugene Verdier—pink Magnific			
Festiva Alba—white Mad. L.			
Felix Crousse -red Mad. Mo		-	
Faust-pink Mme. de	Vern	eville-w	hite
*PAPAVER nudicaule. Iceland Poppy. 10"	1.5	1.00	10.00
White yellow, May-Aug	.15	1.20	10.00
papaver orientale. Oriental Poppy. 2½' Scarlet, July-Aug	.20	1.80	
Victoria Louise. 2½' Pink, July-Aug	.20	1.80	
Prince of Orange. 2½' Orange-red, July-Aug.	.20	1.80	
	.20	1.00	
PENTSTEMON torreyi. Torrey Pentstemon. 3' Scarlet, June-Aug	.15	1.20	10.00
PHLOX arendsi. Louise. I' Lilac, May-July	.15	1.20	10.00
*Divaricata. Blue. 1' Lavender blue, May	.15	1.20	10.00
Decussata. Garden Phlox. 1½-2' July-Sept.	.15	1.20	10.00
Antonin Mercie. Lilac, white centre	.15	1.20	10.00
Baron Von Heeckeren. Salmon-pink	.20	1.80	10.00
Beranger. White, suffused claret	.15	1.20	10.00
Coquelicot. Brilliant scarlet	.20	1.80	15.00
Deutschland. Bright orange-red	.20	1.80	15.00
Eclaireur. Violet-red, pink eye	.15	1.20	10.00
Eliabeth Campbell. Delicate salmon-pink	.20	1.80	15.00
Fraulein Von Krupp. White dwarf	.15	1.20	10.00
G. A. Strohlein. Orange-scarlet, darker eye General Von Heutz. Salmon-red, white cen.	.20	1.80	15.00
Gruppenkonigin. Pale rose, darker centre	.15	1.20	10.00
Hindenberg. Intense Crimson	.25	2.00	18.00
Jules Sandeau. Pure pink, dwarf	.20	1.50	12.00
La Vague. Mauve-pink, red eye	.15	1.20	10.00
Mrs. Jenkins. (Independence) White	.15	1.20	10.00
Queen. White, early	.15	1.20	10.00
R. P. Struthers. Red, crimson eye	.15	1.20	10.00
Rhynstroom. Deep pink	.15	1.20	10.00
Sunshine. Pink, darker eye	15	1.20	10.00
Thebaide. Pink, dwarf	.15	1.20	10.00
Thor. Salmon pink, crimson eye, large	.15	1.20	10.00
Wanadis. Lilac, purple eye	.20	1.50	12.00
Widar. Reddish violet, white center	.15	1.20	10.00
*subulata. Moss Pink. 4" Pink, April-May	.15	1.20	9.00
*subulata alba. White Moss Pink. 4" White, April-May	.15	1.20	9.00
*subulata G. F. Wilson. Lavender Moss Pink. 4" Lavender blue,April-May	.25	2.00	15.00
suffruticosa. Miss Lingard. Tall, vigorous. White pink eye	.15	1.20	10.00

JZ 1.01. NORDERIED TRADE EL	.51		
PHYSOSTEGIA virginica. False Dragonhead. 21%'	Each	Per 10	Per 100
Pot grown. Light pink, June-July\$	.15	\$1.20	\$9.00
PLATYCODON grandiflorum. 18"  Light blue, June–July	.15	1.20	10.00
grandiflorum album. 18" White, June-July	.15	1.20	10.00
POLEMONIUM coerulea. Greek Valerian. 2' Pot grown. Blue, June–July	.15	1.20	
*PRIMULA elatior. Oxlip Primose. 8" Various, April-May	.15	1.20	
*veris. Cowslip Primrose. 6" Pot grown. Yellow, April-May	.15	1.20	10.00
PYRETHRUM hybridum. Painted Lady. 2' Double mixed. Mixed, June-Aug	.15	1.20	9.00
RUDBECKIA laciniata. Golden Glow. 6' Yellow, AugSept	.15	1.20	9.00
speciosa (newmanni). Showy Cone-flower. 2'			
Pot grown. Yellow, July.—Oct	.15	1.20	10.00
Sky-blue, Aug.–Septpratensis. Meadow Sage. 2' Pot grown.	.15	1.20	10.00
Deep blue, June-July	.15	1.20	10.00
SCABIOSA caucasica alba. White Caucasian Scabiosa. 2' Pot grown. White, June–Aug	.20	1.5C	12.00
japonica. 2' Pot grown. Blue, June-Sept	.20	1.50	12.00
*SEDUM acre. Gold Moss. 3" Yellow, May-June	.15	1.20	10.00
*album. White Stonecrop. 3'' White, May-June	.15	1.20	10.00
*kamschaticum. Orange Stonecrop 8" Yellow, July-Aug	.15	1.20	10.00
*sarmentosum. Stringy Stonecrop. 2"  Pot grown. Yellow, June–July	.15	1.20	10.00
*sexangulare. Hexagon Stonecrop. 4"		1.20	
Yellow, June-Julyspectabile. Showy Stonecrop. 18" Pot grown	.15		10.00
Pink, Aug-Sept** *stoloniferum. Running Stonecrop. 6''	.15	1.20	10.00
Pot grown. Pink, July-Aug* *hispanicum. Spanish Stonecrop. 4"	.15	1.20	10.00
Pot grown. Pale pink, July	.15	1.20	10.00
monregalense (cruciatum). Monreale Stone- crope. Pot grow	.15	1.20	10.00
*reflexum. Stone Orpine. 4" Pot grown. Yellow, June-July	.15	1.20	10.00
*SEMPERVIVUM arachnoideum. Cobweb House- leek. 6" Pot grown. Red, SeptOct	.15	1.00	8.00
*fimbriatum. Fringed Houseleek. 6" pot grown. Red, Sept.—Oct	.15	1.00	8.00
*SILENE alpestris. Alpine Catchfly. 4"		1.50	12.00
Pot grown. White, July-Aug STACHYS lanata. Wooly Betony. 18" Pot grown.	.20		
Purple, June–July STOKESIA laevis. Blue Stokes Aster. 18"	.15	1.20	10.00
Pot grown, Blue, July-Octlaevis alba. White Stokes Aster. 18" Pot grown.	.15	1.20	10.00
White, July-Oct	.15	1.20	10.00
*THYMUS serphyllum splendens. Firefly Thyme. 2" Pot grown. Red, June-July	.15	1.20	10.00
TRITOMA. pfitzeriana. Bonfire Torch-lily $2\frac{1}{2}$ ' Red and orange, Aug. Sept	.20	1.50	12.00
uvaria. Torch Lily. $2\frac{1}{2}$ Yellow, AugSept	.15	1.20	10.00
*TUNICA saxifraga. Tunic Flower. 6" Pot grown. White, July-Aug	.15	1.20	10.00
., ,			

1.00

1.00

.12

.12

8.00

Each	Per 10	Per 100		
\$ .15	\$1.20	\$10.00		
.18	1.50	12.00		
.15	1.20	10.00		
	1.20	10.00		
1.5	1.20	10.00		
.13	1.20	10.00		
1.5	1.20	0.00		
.15	1.20	9.00		
Grasses				
Each	Per 10	Per 100		
\$ .12	\$1.00	\$8.00		
	\$ .15 .18 .15 .15 .15	.18 1.50 .15 1.20 .15 1.20 .15 1.20 .15 1.20  .15 Per 10		

variegata. Striped Eulalia.....

PHALARIS arundinacea. Ribbon Grass.....

## Fruit Department

Note-Our supply of fruit trees in the heavy grades is very limited in quantity and variety. Orders can only be taken for these in connection with a general line of ornamental stock.

general line of or	mannerman brocks				
APPLES AND	CRAB APPLES		Each	Per 10	Per 100
	in. and up	XX	\$1.00		
7/	in to 1 in	X	.55	\$5.00	
11.	16 in. to $\frac{7}{8}$ ind. grade, $\frac{5}{8}$ in. to 1	A	.40	3.20	
Me	d. grade, $\frac{5}{8}$ in. to 1	1-16 inM	.30	2.20	
SUMMER	AUTUMN	WI	NTER		
Early Harvest	Duchess	Baldwin	ľ	Vorthern	Spy
Early Strawberry	Pall Dinnin	Ben Davis		Rome Bea	
	Grimes Golden	Delicious Fameuse (S	H (	Roxbury I	Russet
Gravenstein '	King	Golden Rus		stayman s Stark	Winesap
Red Astrachan	Sweet Bough	Jonathan		ork Imp	erial
Yellow Trans	Talman Sweet	McIntosh		Vinesap	
parent	Wolf River	N. W. Green	ning \	Ninter B	anana
Crab Apples	-Hyslop, Red Siber	ian. Transcenc	lent.		
	es—5% in. to 34 in				
Dwart Apple	$\frac{23-\frac{9}{8}}{10}$ in. to $\frac{5}{4}$ in		.55		
Paldwin D	elicious, Fall Pippi	n Creening	North	orn Snu	Monlehu
Yellow Transpar	ent.	ii, Greening,	NOLLII	ен Эру,	weatiny,
	ord—1 in. and up	XX	1.00		
	in. to 1 in		.75	6.00	
78 1	16 in to % in	A	.60	5.00	
Med	16 in. to $\frac{7}{8}$ in dium grade, $\frac{5}{8}$ in. to	11-16 in.M	.45	4.00	
Bartlett, Cla	pp's Favorite, Duc	hess. Kieffer.	Sheldo	n. Secke	l. Flemish
Beauty, Lawrence	e.	,,	Silvia	ii, oceiic	, , , , , , , , , , , , , , , , , , , ,
	-First grade, 5% in. a	and upA	.60		
	d. grade, ½ in. to 3/8		.45		
	app's Favorite, Duc			Seckel	Vermont
Beauty.	ipp o ravorito, Dae	neco, Boulee	Bonnie	, occirci,	Vermone
	ur-1 in. and up	XX	1.00		
7∕ <sub>8</sub> i	n. to 1 in	X	.80	7.50	
11-	16 in. to $\frac{7}{8}$ in n. to 11-16 in	A	.55	5.00	
			.45	4.00.	
Early Richm	ond, Montmorency,	English Mor	ello.		
CHERRIES-Sw	eet-11/8 in. and up	XXX	1.25		
l in	, to 1½ in	XX	1.15		
7∕ <sub>8</sub> i	n. to 1 in	Х	.85	8.00	
11-	16 in. to ½ in	A	.75	7.00	
, 0	n. to 11-16 in		.60	5.50	т .
	rian, Downer's Late eau, Yellow Spanish		n, Gov.	wood, I	vapoieon,
			1.10	10.00	
TLUMS—I III. ai	nd up		1.10	10.00	
/ <sub>8</sub> 11	n. to 1 in l6 in. to ½ in	Δ	.70	8.00 6.00	
					n Vollow
Egg, Wickson.	Bradshaw, Burbank	, imperial, Si	iropsiiir	e Damso	n, renow
DEACHES 3/ ;	and up 5 to 7 ft	YY	.50	4.50	\$40.00
5% is	n. and up, 5 to 7 ft n. to $\frac{3}{4}$ in., 4 to 6 ft 5 in. to $\frac{5}{8}$ in., 4 to 5	X	.40	3.20	28.00
9-16	in. to 5% in., 4 to 5	ftA	.28	2.40	22.00
/-10	o in. to 9-16 in., 3 to	5 ftM	.22	2.00	18.00
5-16	in to 7-16 in., 3 to	4 ftB	.18	1.50	12.00
Belle of Geo	rgia, Carmen, Chan ber; Elberta, Fitzg y, Miss Lolo, Moun	npion, Crawfo	rd Earl	y, Crawfe	ord Late,
Crummell's Octo	ber, Elberta, Fitzg	erald, Fox So	eedling,	Hale, H	iley, Iron
QUINCES—% in	., 4 to 5 ft	X	.85 .60		
% II 1/2 ir	n., 3 to 4 ft	A	.50		
Champion (			.50		

Champion, Orange.

Di Itti (GI IDDD)	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1021		
NHITTO		Each	Per 10	Per 100
NUTS-				
Butternut—4 to 6 ft		\$ .65 .75		
Hickory, Shellbark-3 to 4 ft		1.00		
4 to 5 ft		1.25		
Walnut, black-18 in		.50		
2 to 3 ft		.75		
3 to 4 ft		1.00		
4 to 5 ft		1.25		
Japan—4 to 6 ft		1.00 1.50		
GRAPES—				
Brighton, black				
Campbell's Early, black Clinton, black	2 yr.	.25	\$2.00	
Agawam, red				
Champion, black				
	2 yr.	.20	1.80	\$16.00
Moore's Early, black Moore's diamond, white				
Worden, black				
Niagara, white	2 yr.	.18	1.50	12.00
Concord, black	2 vr.	.15	1.20	10.00
CURRANTS—	J			
Cherry )				,
Fay's Prolific \	2 vr.	.20	1.50	10.00
White Grape )				
Perfection	2 yr.	.25	2.00	16.00
GOOSEBERRIES	2 vr	.25	2.20	20.00
Columbia, Downing, Houghton, Jo Red Jacket.	oselyn,	.23	2.20	20.00
RASPBERRY—Cuthbert, Kansas, Colum St. Regis, (everbearing).	mbian,			
Suckers				4.00
Transplants				6.00
BLACKBERRIES				6.00
STRAWBERRIES -				
Pot plants				5.00
ASPARAGUS—Con. Colossal and Pa				0.50
motto				2.00
2 yr				,,
RHUBARB		15 1.0	10	

